

KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606




SPROCKETS FOR ROLLER CHAINS

8 x 3,0 mm

Rulle 5 mm

05B - 1 - 2

B1	B2	B3	b1	c	r3
2,8	8,3		2,7	0,8	8



Material: C45 (*=svetsat nav)

Z	de	dp
8	23,4	20,90
9	25,9	23,39
10	28,4	25,89
11	31,0	28,39
12	33,7	30,91
13	36,7	33,42
14	39,2	35,95
15	41,7	38,48
16	44,2	41,01
17	46,7	43,53
18	49,2	46,07
19	51,7	48,61
20	54,2	51,14
21	57,2	53,67
22	59,4	56,21
23	62,2	58,75
24	64,7	61,29
25	67,2	63,83
26	69,7	66,37
27	72,3	68,91
28	74,7	71,45
29	77,2	73,99
30	80,2	76,53
31	82,7	79,08
32	85,2	81,61
33	87,7	84,16
34	90,2	86,70
35	92,7	89,24
36	95,2	91,79
37	97,7	94,33
38	100,2	96,88
39	102,7	99,42
40	105,7	101,97
45	118,6	114,69
48	125,5	122,32
50	131,5	127,41
57	149,3	145,22
60	156,0	152,85

SIMPLEX				
Artikelnummer	dm	D1	A	Kg.
S0508	13	6	12	0,01
S0509	15	6	12	0,02
S0510	17	6	12	0,02
S0511	18	7	13	0,03
S0512	20	7	13	0,04
S0513	23	7	13	0,05
S0514	25	7	13	0,05
S0515	28	7	13	0,07
S0516	30	8	14	0,08
S0517	30	8	14	0,09
S0518	30	8	14	0,09
S0519	30	8	14	0,09
S0520	30	8	14	0,10
S0521	35	8	14	0,12
S0522	35	8	14	0,13
S0523	35	8	14	0,13
S0524	35	8	14	0,14
S0525	35	8	14	0,15
S0526	40	10	16	0,19
S0527	40	10	16	0,20
S0528	40	10	16	0,20
S0529	40	10	16	0,21
S0530	40	10	16	0,22
S0531	40	12	16	0,22
S0532	40	12	16	0,22
S0533	40	12	16	0,23
S0534	40	12	16	0,24
S0535	40	12	16	0,25
S0536	40	12	16	0,25
S0537	40	12	16	0,26
S0538	40	12	16	0,27
S0539	40	12	16	0,28
S0540	40	12	16	0,29
S0545	60	12	20	0,58
S0548	*62	12	20	0,67
S0550	*62	12	20	0,63
S0557	*80	14	20	1,00
S0560	*80	16	34	1,53

DUPLEX				
Artikelnummer	dm	D2	A	Kg.
D0508	12	6	18	0,02
D0509	15	6	18	0,03
D0510	17	8	18	0,03
D0511	19	8	18	0,04
D0512	21	8	18	0,05
D0513	24	8	18	0,07
D0514	26	8	18	0,08
D0515	29	8	18	0,10
D0516	32	10	20	0,13
D0517	34	10	20	0,15
D0518	37	10	20	0,17
D0519	39	10	20	0,20
D0520	40	10	20	0,21
D0521	45	12	20	0,25
D0522	45	12	20	0,26
D0523	45	12	20	0,28
D0524	45	12	20	0,23
D0525	45	12	20	0,31
D0526	50	12	22	0,38
D0527	50	12	22	0,40
D0530	50	12	22	0,45
D0532	60	12	22	0,59
D0535	60	12	22	0,65
D0536	60	12	22	0,67
D0538	60	12	22	0,72
D0540	60	12	22	0,77



info@transflex.nu

KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS


3/8" X 7/32"

9,525 X 5,72 MM

Rulle 6,35 mm

06B - 1 - 2 - 3

B1	B2	B3	b1	c	r3
2,8	8,3		2,7	0,8	8



Material: C45 (*=svetsat nav)

Z	de	dp	SIMPLEX					DUPLEX					TRIPLEX				
			Artikelnummer	dm	D1	A	Kg.	Artikelnummer	dm	D2	A	Kg.	Artikelnummer	dm	D3	A	Kg.
8	28,6	24,89	S38008	15	8	20	0,03	D38008	15	8	25	0,04	T38008	15	8	32	0,05
9	31,5	27,85	S38009	18	8	20	0,04	D38009	18	8	25	0,05	T38009	18	8	32	0,07
10	34,5	30,82	S38010	20	8	20	0,05	D38010	20	8	25	0,07	T38010	20	10	32	0,09
11	37,5	33,80	S38011	22	8	25	0,08	D38011	22	10	30	0,10	T38011	22	12	35	0,11
12	40,5	36,80	S38012	25	8	25	0,10	D38012	25	10	30	0,13	T38012	25	12	35	0,15
13	43,5	39,80	S38013	28	8	25	0,13	D38013	28	10	30	0,16	T38013	28	12	35	0,19
14	46,5	42,80	S38014	31	8	25	0,16	D38014	31	10	30	0,20	T38014	31	12	35	0,23
15	49,5	45,81	S38015	34	8	25	0,19	D38015	34	10	30	0,24	T38015	34	12	35	0,28
16	52,5	48,82	S38016	37	10	28	0,24	D38016	37	12	30	0,27	T38016	37	12	35	0,33
17	55,5	51,83	S38017	40	10	28	0,28	D38017	40	12	30	0,32	T38017	40	12	35	0,39
18	58,6	54,85	S38018	43	10	28	0,33	D38018	43	12	30	0,38	T38018	43	12	35	0,45
19	61,6	57,87	S38019	45	10	28	0,36	D38019	46	12	30	0,42	T38019	46	12	35	0,51
20	64,6	60,89	S38020	46	10	28	0,39	D38020	49	12	30	0,48	T38020	49	12	35	0,58
21	67,6	63,91	S38021	48	12	28	0,42	D38021	52	16	30	0,52	T38021	52	16	40	0,70
22	70,6	66,93	S38022	50	12	28	0,46	D38022	55	16	30	0,58	T38022	55	16	40	0,78
23	73,7	69,95	S38023	52	12	28	0,50	D38023	58	16	30	0,64	T38023	58	16	40	0,87
24	76,7	72,97	S38024	54	12	28	0,54	D38024	61	16	30	0,71	T38024	61	16	40	0,97
25	79,7	76,00	S38025	57	12	28	0,60	D38025	64	16	30	0,79	T38025	64	16	40	1,06
26	82,7	79,02	S38026	60	12	28	0,66	D38026	67	16	30	0,87	T38026	67	16	40	1,17
27	85,7	82,04	S38027	60	12	28	0,67	D38027	70	16	30	0,94	T38027	70	16	40	1,27
28	88,8	85,07	S38028	60	12	28	0,69	D38028	73	16	30	1,03	T38028	73	16	40	1,39
29	91,8	88,09	S38029	60	12	28	0,70	D38029	76	16	30	1,11	T38029	76	16	40	1,50
30	94,8	91,12	S38030	60	12	30	0,72	D38030	79	16	30	1,20	T38030	79	16	40	1,62
31	97,9	94,15	S38031	65	14	30	0,87	D38031	80	16	30	1,27	T38031	80	16	40	1,72
32	100,9	97,17	S38032	65	14	30	0,89	D38032	80	16	30	1,32	T38032	80	16	40	1,80
33	103,9	100,20	S38033	65	14	30	0,91	D38033	80	16	30	1,37	T38033	80	16	40	1,89
34	106,9	103,23	S38034	65	14	30	0,92	D38034	80	16	30	1,43	T38034	85	16	40	2,06
35	110,0	106,26	S38035	65	14	30	0,95	D38035	80	16	30	1,49	T38035	85	16	40	2,15
36	113,0	109,29	S38036	70	16	30	1,05	D38036	90	16	30	1,70	T38036	90	16	40	2,33
37	116,0	112,32	S38037	70	16	30	1,09	D38037	90	16	30	1,76	T38037	90	16	40	2,43
38	119,0	115,34	S38038	70	16	30	1,10	D38038	90	16	30	1,81	T38038	90	16	40	2,53
39	122,1	118,37	S38039	70	16	30	1,12	D38039	90	16	30	1,88	T38039	90	16	40	2,63
40	125,1	121,40	S38040	70	16	30	1,14	D38040	90	16	30	1,95	T38040	90	16	40	2,74
42	132,1	127,46	S38042	*78	16	35	1,56	D38042	*88	20	50	2,44					
45	141,1	136,54	S38045	*78	16	35	1,66	D38045	*88	20	50	3,15	T38045	*88	20	60	4,15
46	144,2	139,58	S38046	*78	16	35	1,67										
48	150,2	145,64	S38048	*78	16	35	1,75	D38048	*88	20	50	3,43					
50	156,3	151,69	S38050	*78	20	35	1,80	D38050	*88	20	50	3,53	T38050	*88	20	60	4,80
55	171,4	166,85	S38055	*78	20	35	1,89										
57	177,5	172,91	S38057	*78	20	35	1,96	D38057	*88	20	50	4,16	T38057	*88	25	60	5,80
60	186,6	181,99	S38060	*78	20	35	2,03	D38060	*88	20	50	4,45	T38060	*88	25	60	6,21
76	235,1	230,49	S38076	*78	20	35	2,67	D38076	*88	25	50	6,23	T38076	*88	25	60	9,26



info@transflex.nu

KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS


1/2" x 5/16"

12,7 x 7,75mm

Rulle 8,51 mm

08B - 1 - 2 - 3

B1	B2	B3	b1	c	r3
7,2	21,0	34,9	7	1,3	13



Material: C45 (*=svetsat nav)

Z	de	dp	SIMPLEX					DUPLEX					TRIPLEX				
			Artikelnummer	dm	D1	A	Kg.	Artikelnummer	dm	D2	A	Kg.	Artikelnummer	dm	D2	A	Kg.
8	38,0	33,18	S12008	20	10	25	0,06	D12008	20	10	32	0,09	T12008	20	10	46	0,13
9	42,0	37,13	S12009	24	10	25	0,09	D12009	24	10	32	0,13	T12009	24	12	46	0,18
10	45,9	41,10	S12010	26	10	25	0,12	D12010	28	10	32	0,18	T12010	28	12	46	0,24
11	49,9	45,07	S12011	29	10	25	0,15	D12011	32	12	35	0,24	T12011	32	16	50	0,31
12	53,9	49,07	S12012	33	10	28	0,21	D12012	35	12	35	0,30	T12012	35	16	50	0,39
13	57,9	53,06	S12013	37	10	28	0,26	D12013	38	12	35	0,36	T12013	38	16	50	0,49
14	61,9	57,07	S12014	41	10	28	0,32	D12014	42	12	35	0,44	T12014	42	16	50	0,60
15	65,9	61,09	S12015	45	10	28	0,38	D12015	46	12	35	0,52	T12015	46	16	50	0,72
16	69,9	65,10	S12016	50	12	28	0,46	D12016	50	16	38	0,63	T12016	50	16	50	0,85
17	74,0	69,11	S12017	52	12	28	0,51	D12017	54	16	38	0,73	T12017	54	16	50	0,99
18	78,0	73,14	S12018	56	12	28	0,59	D12018	58	16	38	0,85	T12018	58	16	50	1,14
19	82,0	77,16	S12019	60	12	28	0,67	D12019	62	16	38	0,97	T12019	62	16	50	1,30
20	86,0	81,19	S12020	64	12	28	0,76	D12020	66	16	38	1,10	T12020	66	16	50	1,47
21	90,1	85,22	S12021	68	14	28	0,85	D12021	70	16	40	1,29	T12021	70	16	55	1,79
22	94,1	89,24	S12022	70	14	28	0,91	D12022	70	16	40	1,37	T12022	70	16	55	1,93
23	98,1	93,27	S12023	70	14	28	0,95	D12023	70	16	40	1,46	T12023	70	16	55	2,08
24	102,1	97,29	S12024	70	14	28	0,98	D12024	75	16	40	1,64	T12024	75	16	55	2,32
25	106,2	101,33	S12025	70	14	28	1,01	D12025	80	16	40	1,82	T12025	80	16	55	2,57
26	110,2	105,36	S12026	70	16	30	1,09	D12026	85	16	40	2,02	T12026	85	20	55	2,79
27	114,2	109,40	S12027	70	16	30	1,13	D12027	85	16	40	2,12	T12027	85	20	55	2,96
28	118,3	113,42	S12028	70	16	30	1,17	D12028	90	16	40	2,34	T12028	90	20	55	3,25
29	122,3	117,46	S12029	80	16	30	1,42	D12029	95	16	40	2,56	T12029	95	20	55	3,55
30	126,3	121,50	S12030	80	16	30	1,46	D12030	100	16	40	2,79	T12030	100	20	55	3,86
31	130,4	125,54	S12031	90	16	30	1,74	D12031	100	20	40	2,87	T12031	110	20	55	4,32
32	134,4	129,56	S12032	90	16	30	1,78	D12032	100	20	40	3,00	T12032	110	20	55	4,53
33	138,4	133,60	S12033	90	16	30	1,83	D12033	100	20	40	3,13	T12033	110	20	55	4,74
34	142,5	137,64	S12034	90	16	30	1,88	D12034	100	20	40	3,26	T12034	110	20	55	4,97
35	146,5	141,68	S12035	90	16	30	1,93	D12035	100	20	40	3,40	T12035	110	20	55	5,20
36	150,6	145,72	S12036	90	16	35	2,22	D12036	100	20	40	3,54	T12036	120	25	55	5,64
37	154,6	149,76	S12037	90	16	35	2,27	D12037	100	20	40	3,69	T12037	120	25	55	5,88
38	158,6	153,80	S12038	90	16	35	2,32	D12038	100	20	40	3,84	T12038	120	25	55	6,14
39	162,7	157,83	S12039	90	16	35	2,38	D12039	100	20	40	4,00	T12039	120	25	55	6,40
40	166,7	161,87	S12040	90	16	35	2,43	D12040	100	20	40	4,15	T12040	120	25	55	6,66
42	176,5	169,95	S12042	*88	20	42	2,77	D12042	*108	20	55	5,67					
45	188,6	182,07	S12045	*88	20	42	3,00	D12045	*108	20	55	6,26	T12045	*120	25	68	9,12
46	192,6	186,10	S12046	*88	20	42	3,06	D12046	*108	20	55	6,39					
48	200,7	194,18	S12048	*88	20	42	3,16	D12048	*108	20	55	6,75					
50	208,8	202,26	S12050	*88	20	42	3,30	D12050	*108	20	55	7,17	T12050	*120	25	68	10,74
55	229,0	222,46	S12055	*88	20	42	3,62										
57	237,1	230,54	S12057	*88	20	42	3,85	D12057	*108	25	55	8,65	T12057	*120	25	68	13,26
60	249,2	242,66	S12060	*88	20	42	4,08	D12060	*108	25	55	9,35	T12060	*120	25	68	14,47
76	313,9	307,33	S12076	*88	25	42	5,56	D12076	*108	25	55	13,30	T12076	*120	25	68	21,78
95	390,7	384,11	S12095	*108	25	42	8,56	D12095	*120	25	55	21,13	T12095	*136	25	68	34,00



info@transflex.nu


KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS

5/8" x 3/8"

15,875 X 9,65 mm
Rulle 10,16 mm
10B - 1 - 2 - 3

B1	B2	B3	b1	c	r3
9,1	25,5	42,1	9	1,6	16



Material: C45 (*=svetsat nav)

Z	de	dp	SIMPLEX					DUPLEX					TRIPLEX				
			Artikelnummer	dm	D1	A	Kg.	Artikelnummer	dm	D2	A	Kg.	Artikelnummer	dm	D2	A	Kg.
8	48,4	41,48	S58008	25	10	25	0,12	D58008	25	12	40	0,19	T58008	25	12	55	0,27
9	53,3	46,42	S58009	30	10	25	0,16	D58009	30	12	40	0,27	T58009	30	12	55	0,38
10	58,3	51,37	S58010	35	10	25	0,22	D58010	35	12	40	0,36	T58010	35	16	55	0,47
11	63,2	56,34	S58011	37	12	30	0,29	D58011	39	16	40	0,43	T58011	39	16	55	0,61
12	68,2	61,34	S58012	42	12	30	0,37	D58012	44	16	40	0,55	T58012	44	16	55	0,78
13	73,2	66,32	S58013	47	12	30	0,46	D58013	49	16	40	0,68	T58013	49	16	55	0,96
14	78,2	71,34	S58014	52	12	30	0,56	D58014	54	16	40	0,82	T58014	54	16	55	1,15
15	83,2	76,36	S58015	57	12	30	0,67	D58015	59	16	40	0,97	T58015	59	16	55	1,37
16	88,3	81,37	S58016	60	12	30	0,76	D58016	64	16	45	1,26	T58016	64	16	60	1,72
17	93,3	86,39	S58017	60	12	30	0,88	D58017	69	16	45	1,46	T58017	69	16	60	1,99
18	98,3	91,42	S58018	70	14	30	1,01	D58018	74	16	45	1,67	T58018	74	16	60	2,27
19	103,3	96,45	S58019	70	14	30	1,15	D58019	79	16	45	1,90	T58019	79	16	60	2,58
20	108,4	101,49	S58020	75	14	30	1,21	D58020	84	16	45	2,14	T58020	84	16	60	2,91
21	113,4	106,52	S58021	75	16	30	1,35	D58021	85	16	45	2,27	T58021	85	20	60	3,12
22	118,4	111,55	S58022	80	16	30	1,41	D58022	90	16	45	2,54	T58022	90	20	60	3,48
23	123,5	116,58	S58023	80	16	30	1,47	D58023	95	16	45	2,82	T58023	95	20	60	3,86
24	128,5	121,62	S58024	80	16	30	1,54	D58024	100	16	45	3,11	T58024	100	20	60	4,25
25	133,6	126,66	S58025	80	16	30	1,60	D58025	105	16	45	3,15	T58025	105	20	60	4,67
26	138,6	131,70	S58026	85	20	35	1,96	D58026	110	20	45	3,74	T58026	110	20	60	5,10
27	143,6	136,75	S58027	85	20	35	2,04	D58027	110	20	45	3,94	T58027	110	20	60	5,43
28	148,7	141,78	S58028	90	20	35	2,25	D58028	115	20	45	4,28	T58028	115	20	60	5,90
29	153,7	146,83	S58029	90	20	35	2,33	D58029	115	20	45	4,50	T58029	115	20	60	6,25
30	158,8	151,87	S58030	90	20	35	2,41	D58030	120	20	45	4,87	T58030	120	20	60	6,65
31	163,8	156,92	S58031	95	20	35	2,64	D58031	120	20	45	5,10	T58031	120	20	60	7,18
32	168,9	161,95	S58032	95	20	35	2,73	D58032	120	20	45	5,34	T58032	120	20	60	7,56
33	173,9	167,00	S58033	95	20	35	2,82	D58033	120	20	45	5,59	T58033	120	20	60	7,97
34	178,9	172,05	S58034	95	20	35	2,92	D58034	120	20	45	5,84	T58034	120	20	60	8,36
35	184,0	177,10	S58035	95	20	35	3,01	D58035	120	20	45	6,11	T58035	120	20	60	8,74
36	189,0	182,15	S58036	100	20	35	3,27	D58036	120	20	45	6,38	T58036	120	25	60	9,15
37	194,1	187,20	S58037	100	20	35	3,37	D58037	120	20	45	6,66	T58037	120	25	60	9,61
38	199,1	192,24	S58038	100	20	35	3,47	D58038	120	20	45	6,95	T58038	120	25	60	10,08
39	204,2	197,29	S58039	100	20	35	3,58	D58039	120	20	45	7,25	T58039	120	25	60	10,57
40	209,2	202,34	S58040	100	20	35	3,69	D58040	120	20	45	7,55	T58040	120	25	60	11,07
42	220,8	212,44	S58042	*108	20	43	4,73	D58042	*120	25	59	9,35					
45	236,0	227,58	S58045	*108	20	43	5,09	D58045	*120	25	59	10,32	T58045	*136	25	74	15,70
46	241,0	236,63	S58046	*108	20	43	5,19	D58046	*120	25	59	10,67					
48	251,1	242,73	S58048	*108	20	43	5,43	D58048	*120	25	59	11,40					
50	261,2	252,82	S58050	*108	20	43	5,70	D58050	*120	25	59	12,11	T58050	*136	25	74	18,83
55	286,5	278,08	S58055	*108	20	43	6,40										
57	296,6	288,18	S58057	*108	25	43	6,66	D58057	*120	25	59	15,74	T58057	*136	25	74	23,40
60	311,7	303,32	S58060	*108	25	43	7,15	D58060	*120	25	59	16,40	T58060	*136	25	74	25,80
76	392,5	384,16	S58076	*108	25	43	10,28	D58076	*120	25	59	24,93	T58076	*145	30	75	40,25



info@transflex.nu

KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS


3/4" x 7/16"

19,05 x 11,68 mm

Rulle 12,07 mm

12B - 1 - 2 - 3

B1	B2	B3	b1	c	r3
11,1	30,3	49,8	10,8	2	19



Material: C45 (*=svetsat nav)

Z	de	dp	SIMPLEX					DUPLEX					TRIPLEX				
			Artikelnummer	dm	D1	A	Kg.	Artikelnummer	dm	D2	A	Kg.	Artikelnummer	dm	D2	A	Kg.
8	58,0	49,78	S34008	31	12	30	0,21	D34008	31	12	45	0,31	T34008	31	16	65	0,45
9	63,9	55,70	S34009	37	12	30	0,29	D34009	37	12	45	0,44	T34009	37	16	65	0,64
10	69,8	61,64	S34010	42	12	30	0,38	D34010	42	12	45	0,59	T34010	42	16	65	0,86
11	75,8	67,61	S34011	46	16	35	0,51	D34011	47	16	50	0,81	T34011	47	20	70	1,09
12	81,8	73,60	S34012	52	16	35	0,65	D34012	53	16	50	1,02	T34012	53	20	70	1,39
13	87,8	79,59	S34013	58	16	35	0,80	D34013	59	16	50	1,25	T34013	59	20	70	1,72
14	93,8	85,61	S34014	64	16	35	0,97	D34014	65	16	50	1,46	T34014	65	20	70	2,08
15	99,8	91,63	S34015	70	16	35	1,16	D34015	71	16	50	1,74	T34015	71	20	70	2,47
16	105,8	97,65	S34016	75	16	35	1,34	D34016	77	20	50	2,03	T34016	77	20	70	2,89
17	111,9	103,67	S34017	80	16	35	1,53	D34017	83	20	50	2,36	T34017	83	20	70	3,34
18	117,9	109,71	S34018	80	16	35	1,62	D34018	89	20	50	2,70	T34018	89	20	70	3,83
19	123,9	115,75	S34019	80	16	35	1,70	D34019	95	20	50	3,07	T34019	95	20	70	4,35
20	130,0	121,78	S34020	80	16	35	1,80	D34020	100	20	50	3,43	T34020	100	20	70	4,87
21	136,0	127,82	S34021	90	20	40	2,35	D34021	100	20	50	3,69	T34021	100	20	70	5,20
22	142,0	133,86	S34022	90	20	40	2,46	D34022	100	20	50	3,97	T34022	100	20	70	5,65
23	148,1	139,90	S34023	90	20	40	2,56	D34023	110	20	50	4,51	T34023	110	20	70	6,38
24	154,1	145,94	S34024	90	20	40	2,68	D34024	110	20	50	4,81	T34024	110	20	70	6,87
25	160,2	152,00	S34025	90	20	40	2,80	D34025	120	20	50	5,41	T34025	120	20	70	7,77
26	166,2	158,04	S34026	95	20	40	3,08	D34026	120	20	50	5,73	T34026	120	20	70	8,21
27	172,3	164,09	S34027	95	20	40	3,21	D34027	120	20	50	6,08	T34027	120	20	70	8,77
28	178,3	170,13	S34028	95	20	40	3,34	D34028	120	20	50	6,43	T34028	120	20	70	9,35
29	184,4	176,19	S34029	95	20	40	3,48	D34029	120	20	50	6,80	T34029	120	20	70	9,96
30	190,4	182,25	S34030	95	20	40	3,63	D34030	120	20	50	7,19	T34030	120	20	70	10,59
31	196,5	188,31	S34031	95	20	40	3,78	D34031	120	20	50	7,59	T34031	130	25	70	11,55
32	202,5	194,35	S34032	95	20	40	3,93	D34032	120	20	50	8,00	T34032	130	25	70	12,22
33	208,6	200,40	S34033	95	20	40	4,09	D34033	120	20	50	8,42	T34033	130	25	70	12,92
34	214,6	206,46	S34034	95	20	40	4,25	D34034	120	20	50	8,86	T34034	130	25	70	13,64
35	220,7	212,52	S34035	95	20	40	4,42	D34035	120	20	50	9,31	T34035	130	25	70	14,38
36	226,8	218,58	S34036	100	20	40	4,71	D34036	120	25	50	9,71	T34036	130	25	70	15,14
37	232,8	224,64	S34037	100	20	40	4,89	D34037	120	25	50	10,19	T34037	130	25	70	15,93
38	238,9	230,69	S34038	100	20	40	5,07	D34038	120	25	50	10,78	T34038	130	25	70	16,73
39	244,9	236,75	S34039	100	20	40	5,26	D34039	120	25	50	11,19	T34039	130	25	70	17,57
40	251,0	242,81	S34040	100	20	40	5,46	D34040	120	25	50	11,71	T34040	130	25	70	18,42
42	265,0	254,93	S34042	*118	25	61	8,14	D34042	*136	25	62	14,51					
45	283,2	273,10	S34045	*118	25	61	8,85	D34045	*136	25	62	16,35	T34045	*140	25	72	23,55
46	289,2	279,16	S34046	*118	25	61	9,22	D34046	*136	25	62	16,80					
48	301,4	291,27	S34048	*118	25	61	9,67	D34048	*136	25	62	18,18					
50	313,5	303,39	S34050	*118	25	61	10,15	D34050	*136	25	62	19,44	T34050	*140	25	72	28,73
55	343,8	333,70	S34055	*118	25	61	11,29										
57	355,9	345,81	S34057	*118	25	61	11,85	D34057	*136	25	62	24,43	T34057	*140	30	75	37,16
60	374,1	363,99	S34060	*118	25	61	12,71	D34060	*136	25	62	26,77	T34060	*140	30	75	41,01
76	471,1	460,99	S34076	*118	30	61	18,02	D34076	*145	30	63	41,88	T34076	*150	30	75	65,41
95	586,2	576,17	S34095	*133	30	62	27,45	D34095	*145	30	63	63,79	T34095	*150	30	75	101,37



info@transflex.nu


KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS

1" x 17,02"

25,4 x 17,02 mm
Rulle 15,88
16B - 1 - 2 - 3

B1	B2	B3	b1	c	r3
16,2	47,7	79,6	15,8	2,5	26



Material: C45 (*=svetsat nav)

Z	de	dp	SIMPLEX					DUPLEX					TRIPLEX				
			Artikelnummer	dm	D1	A	Kg.	Artikelnummer	dm	D2	A	Kg.	Artikelnummer	dm	D2	A	Kg.
8	77,9	66,37	S1008	42	16	35	0,47	D1008	42	20	65	0,81	T1008	42	20	95	1,19
9	85,8	74,27	S1009	50	16	35	0,66	D1009	50	20	65	1,15	T1009	50	20	95	1,68
10	93,8	82,19	S1010	55	16	35	0,83	D1010	56	20	65	1,52	T1010	56	20	95	2,24
11	101,7	90,14	S1011	61	16	40	1,14	D1011	64	20	70	2,08	T1011	64	25	100	2,86
12	109,7	98,14	S1012	69	16	40	1,43	D1012	72	20	70	2,60	T1012	72	25	100	3,62
13	117,7	106,12	S1013	78	16	40	1,77	D1013	80	20	70	3,18	T1013	80	25	100	4,45
14	125,7	114,15	S1014	84	16	40	2,08	D1014	88	20	70	3,82	T1014	88	25	100	5,37
15	133,7	122,17	S1015	92	16	40	2,46	D1015	96	20	70	4,51	T1015	96	25	100	6,37
16	141,8	130,20	S1016	100	20	45	3,14	D1016	104	20	70	5,17	T1016	104	25	100	7,45
17	149,8	138,22	S1017	100	20	45	3,33	D1017	112	20	70	5,98	T1017	112	25	100	8,60
18	157,8	146,28	S1018	100	20	45	3,56	D1018	120	20	70	6,84	T1018	120	25	100	9,84
19	165,9	154,33	S1019	100	20	45	3,78	D1019	128	20	70	7,76	T1019	128	25	100	11,16
20	173,9	162,38	S1020	100	20	45	4,03	D1020	130	20	70	8,52	T1020	130	25	100	12,36
21	182,0	170,43	S1021	110	20	50	5,01	D1021	130	25	70	9,24	T1021	130	25	100	13,56
22	190,1	178,48	S1022	110	20	50	5,28	D1022	130	25	70	10,00	T1022	130	25	100	14,82
23	198,1	186,53	S1023	110	20	50	5,56	D1023	130	25	70	10,80	T1023	130	25	100	16,15
24	206,2	194,59	S1024	110	20	50	5,86	D1024	130	25	70	11,64	T1024	130	25	100	17,53
25	214,2	202,66	S1025	110	20	50	6,16	D1025	130	25	70	12,52	T1025	130	25	100	18,99
26	222,3	210,72	S1026	120	20	50	6,96	D1026	130	25	70	13,43	T1026	130	30	100	20,34
27	230,4	218,79	S1027	120	20	50	7,30	D1027	130	25	70	14,38	T1027	130	30	100	21,92
28	238,4	226,85	S1028	120	20	50	7,64	D1028	130	25	70	15,38	T1028	130	30	100	23,57
29	246,5	234,92	S1029	120	20	50	8,00	D1029	130	25	70	16,41	T1029	130	30	100	25,27
30	254,6	243,00	S1030	120	20	50	8,38	D1030	130	25	70	17,48	T1030	130	30	100	27,05
31	262,6	251,08	S1031	120	25	50	8,69	D1031	140	25	70	18,96	T1031	140	30	100	29,23
32	270,7	259,13	S1032	120	25	50	9,09	D1032	140	25	70	20,10	T1032	140	30	100	31,13
33	278,8	267,21	S1033	120	25	50	9,50	D1033	140	25	70	21,29	T1033	140	30	100	33,10
34	286,9	275,28	S1034	120	25	50	9,93	D1034	140	25	70	22,21	T1034	140	30	100	35,13
35	294,9	283,36	S1035	120	25	50	10,36	D1035	140	25	70	23,77	T1035	140	30	100	37,23
36	303,0	291,44	S1036	120	25	50	10,81	D1036	140	25	70	25,07	T1036	140	30	100	39,39
37	311,1	299,51	S1037	120	25	50	11,28	D1037	140	25	70	26,41	T1037				
38	319,2	307,59	S1038	120	25	50	11,76	D1038	140	25	70	27,79	T1038	140	30	100	43,90
39	327,2	315,67	S1039	120	25	50	12,25	D1039	140	25	70	29,20	T1039				
40	335,3	323,73	S1040	120	25	50	12,75	D1040	140	25	70	30,65	T1040	140	30	100	48,67
42	353,7	339,90	S1042	*133	25	68	16,54	D1041	*140	25	70	33,63					
45	377,9	364,12	S1045	*133	25	68	18,15	D1042	*140	25	70	38,44	T1042	*160	30	110	63,94
46	386,0	372,21	S1046	*133	25	68	18,69	D1043	*140	25	70	40,13					
48	402,1	388,36	S1048	*133	25	68	19,86	D1044	*140	25	70	43,61					
50	418,3	404,52	S1050	*133	25	68	20,89	D1045	*140	25	70	47,25	T1045	*160	30	110	78,58
57	474,9	461,07	S1057	*133	30	68	25,52	D1046	*160	40	82	63,45	T1046	*180	40	112	103,03
60	499,1	485,32	S1060	*133	30	68	27,76	D1047	*160	40	82	70,00					
76	628,4	614,65	S1076	*145	30	68	42,97	D1048	*160	40	82	110,79	T1048	*180	40	112	181,86



info@transflex.nu


KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS

1 1/4" x 3/4"

31,75 x 19,56 mm
Rulle 19,05 mm
20B - 1 - 2 - 3

B1	B2	B3	b1	c	r3
18,5	54,6	91,0	18,2	3,5	32



Material: C45 (*=svetsat nav)

Z	de	dp
8	96,0	82,96
9	106,5	92,84
10	117,0	102,74
11	127,0	112,68
12	137,0	122,68
13	147,5	132,65
14	157,6	142,68
15	167,7	152,72
16	177,7	162,75
17	187,7	172,78
18	197,8	182,85
19	207,9	192,91
20	217,9	202,98
21	228,0	213,04
22	238,1	223,11
23	248,2	233,17
24	258,3	243,23
25	268,4	253,33
26	278,4	263,40
27	288,5	273,48
28	298,5	283,56
29	308,6	293,65
30	318,7	303,75
31	328,8	313,85
32	338,9	323,91
33	349,0	334,01
34	359,1	344,10
35	369,2	354,20
36	379,2	364,30
37	389,3	374,39
38	399,4	384,49
39	409,5	394,59
40	419,6	404,66
42	440,8	424,88
45	471,1	455,17
46	481,2	465,26
48	501,4	485,46
50	521,6	505,65
57	592,3	576,36
60	622,6	606,65
76	784,3	768,32

SIMPLEX				
Artikelnummer	dm	D1	A	Kg.
S114008	53	20	40	0,85
S114009	63	20	40	1,19
S114010	70	20	40	1,51
S114011	77	20	45	2,04
S114012	88	20	45	2,58
S114013	98	20	45	3,15
S114014	108	20	45	3,78
S114015	118	20	45	4,47
S114016	120	25	50	5,25
S114017	120	25	50	5,61
S114018	120	25	50	6,00
S114019	120	25	50	6,40
S114020	120	25	50	6,84
S114021	140	25	55	8,79
S114022	140	25	55	9,27
S114023	140	25	55	9,77
S114024	140	25	55	10,30
S114025	140	25	55	10,85
S114026	150	30	55	12,07
S114027	150	30	55	12,67
S114028	150	30	55	13,29
S114029	150	30	55	13,93
S114030	150	30	55	14,60
S114031	*150	30	55	15,28
S114032	*150	30	55	16,00
S114033	*150	30	55	16,73
S114034	*150	30	55	17,49
S114035	*150	30	55	18,27
S114036	*150	30	55	19,08
S114037	*150	30	55	19,91
S114038	*150	30	55	20,76
S114039	*150	30	55	21,73
S114040	*150	30	55	22,53
S114042	*160	30	80	28,84
S114045	*160	30	80	31,79
S114046	*160	30	80	32,83
S114048	*160	30	80	35,00
S114050	*160	30	80	37,21
S114057	*160	30	80	45,79
S114060	*160	30	80	49,83
S114076	*160	30	80	75,81

DUPLEX				
Artikelnummer	dm	D2	A	Kg.
D114008	53	20	75	1,58
D114009	63	20	75	2,19
D114010	70	20	75	2,85
D114011	80	25	80	3,72
D114012	90	25	80	4,66
D114013	100	25	80	5,70
D114014	110	25	80	6,84
D114015	120	25	80	8,08
D114016	120	30	80	8,90
D114017	120	30	80	9,92
D114018	120	30	80	11,00
D114019	120	30	80	12,16
D114020	120	30	80	13,38
D114021	140	30	80	15,49
D114022	140	30	80	16,86
D114023	140	30	80	18,29
D114024	140	30	80	19,79
D114025	140	30	80	21,36
D114026	150	30	80	23,45
D114027	150	30	80	25,15
D114028	150	30	80	26,93
D114029	150	30	80	28,77
D114030	150	30	80	30,69
D114031	*150	30	80	32,67
D114032	*150	30	80	34,72
D114034	*150	30	80	39,03
D114035	*150	30	80	41,28
D114036	*150	30	80	43,61
D114038	*150	30	80	48,46
D114040	*150	30	80	53,60
D114045	*160	30	101	71,32
D114046	*160	30	101	74,34
D114050	*160	30	101	87,08
D114057	*180	40	116	116,28
D114076	*180	40	116	200,96

TRIPLEX				
Artikelnummer	dm	D2	A	Kg.
T114008	53	25	110	2,15
T114009	63	25	110	3,05
T114010	70	25	110	4,04
T114011	80	30	115	5,19
T114012	90	30	115	6,55
T114013	100	30	115	8,06
T114014	110	30	115	9,71
T114015	120	30	115	11,50
T114016	120	30	115	13,06
T114017	120	30	115	14,65
T114018	120	30	115	17,07
T114019	120	30	115	18,45
T114020	120	30	115	20,48
T114021	140	30	115	23,38
T114022	140	30	115	25,64
T114023	140	30	115	28,00
T114024	140	30	115	30,49
T114025	140	30	115	33,09
T114026	150	30	115	36,23
T114027	150	30	115	39,06
T114028	150	30	115	42,00
T114030	150	30	115	48,23
T114032	*150	30	115	54,91
T114034	*150	30	115	62,06
T114035	*150	30	115	65,80
T114036	*150	30	115	69,66
T114038	*150	30	115	77,72
T114040	*150	30	115	86,24
T114045	*160	40	121	110,41
T114050	*160	40	121	136,59
T114057	*200	40	123	181,21
T114076	*200	40	123	322,03



info@transflex.nu

KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS


1 1/2" x 1"

38,1 x 25,4 mm

Rulle 25,4 mm

24B - 1 - 2 - 3

B1	B2	B3	b1	c	r3
24,1	72,0	120,3	23,6	4	38



Material: C45 (*=svetsat nav)

Z	de	dp
8	113,0	99,55
9	125,0	111,40
10	137,0	123,29
11	149,0	135,21
12	161,0	147,22
13	173,0	159,18
14	185,0	171,22
15	197,0	183,26
16	209,0	195,30
17	221,0	207,34
18	233,0	219,42
19	245,5	231,49
20	257,5	243,57
21	270,5	255,65
22	282,5	267,73
23	294,5	279,80
24	307,0	291,88
25	319,0	304,00
26	331,0	316,08
27	343,0	328,19
28	355,0	340,27
29	367,5	352,38
30	379,5	364,50
31	391,5	376,62
32	403,5	388,69
33	415,5	400,81
34	428,0	412,83
35	440,0	425,04
36	452,0	437,16
37	464,0	449,27
38	476,5	461,39
40	501,5	485,62
42	525,5	509,85
45	562,0	546,20
46	574,0	558,82
48	598,5	582,55
50	622,5	606,78
57	707,5	691,63
60	745,0	727,97
76	939,0	921,98

SIMPLEX				
Artikelnummer	dm	D1	A	Kg.
S112008	58	20	45	1,38
S112009	70	20	45	1,90
S112010	80	20	45	2,47
S112011	90	25	50	3,27
S112012	102	25	50	4,09
S112013	114	25	50	5,00
S112014	128	25	50	6,09
S112015	132	25	50	6,84
S112016	136	25	55	8,20
S112017	136	25	55	8,87
S112018	136	25	55	9,59
S112019	136	25	55	10,36
S112020	136	25	55	11,16
S112021	150	30	60	13,35
S112022	150	30	60	14,24
S112023	150	30	60	15,18
S112024	150	30	60	16,16
S112025	150	30	60	17,19
S112026	*150	30	60	18,25
S112027	*150	30	60	19,37
S112028	*150	30	60	20,52
S112029	*150	30	60	21,72
S112030	*150	30	60	22,97
S112031	*150	30	60	24,25
S112032	*150	30	60	25,59
S112033	*150	30	60	26,96
S112034	*150	30	60	28,38
S112035	*150	30	60	29,84
S112036	*150	30	60	31,34
S112037	*150	30	60	32,90
S112038	*150	30	60	34,49
S112040	*150	30	60	37,81
S112042	*168	30	99	48,52
S112045	*168	30	99	54,08
S112046	*168	30	99	56,03
S112048	*168	30	99	60,04
S112050	*168	30	99	64,24
S112057	*168	30	99	80,28
S112060	*168	30	99	87,82
S112076	*178	40	118	140,54

DUPLEX				
Artikelnummer	dm	D2	A	Kg.
D112008	58	25	95	2,70
D112009	70	25	95	3,79
D112010	80	25	95	5,01
D112011	90	25	100	6,62
D112012	102	25	100	8,28
D112013	114	25	100	10,13
D112014	128	25	100	12,24
D112015	132	25	100	14,08
D112016	136	30	100	15,88
D112017	136	30	100	17,80
D112018	160	30	100	21,08
D112019	160	30	100	23,26
D112020	160	30	100	25,57
D112021	160	30	100	28,01
D112022	160	30	100	30,59
D112023	160	30	100	33,29
D112024	160	30	100	36,13
D112025	160	30	100	39,09
D112026	*160	30	100	42,19
D112027	*160	30	100	45,41
D112028	*160	30	100	48,77
D112029	*160	30	100	52,26
D112030	*160	30	100	55,88
D112031	*160	40	100	59,19
D112032	*160	40	100	63,07
D112033	*160	40	100	67,08
D112034	*160	40	100	71,21
D112035	*160	40	100	75,49
D112036	*160	40	100	79,89
D112037	*160	40	100	84,43
D112038	*160	40	100	89,09
D112040	*160	40	100	98,80
D112045	*180	40	133	132,81
D112050	*180	40	133	162,65
D112057	*180	40	133	209,91
D112076	*200	40	133	373,88

TRIPLEX				
Artikelnummer	dm	D2	A	Kg.
T112008	58	25	140	4,00
T112009	70	25	140	5,62
T112010	80	25	140	7,45
T112011	90	30	150	9,73
T112012	102	30	150	12,24
T112013	114	30	150	15,02
T112014	128	30	150	18,16
T112015	132	30	150	21,09
T112016	136	30	150	24,25
T112017	136	30	150	27,42
T112018	160	30	150	32,12
T112019	160	30	150	35,74
T112020	160	30	150	39,57
T112021	160	40	150	42,98
T112022	160	40	150	47,25
T112023	160	40	150	51,74
T112024	160	40	150	56,44
T112025	160	40	150	61,37
T112026	*160	40	150	66,52
T112027	*160	40	150	71,88
T112028	*160	40	150	77,46
T112030	*160	40	150	89,28
T112032	*160	40	150	101,97
T112035	*160	40	150	122,64
T112038	*160	40	150	145,28
T112040	*160	40	150	161,46
T112045	*200	40	153	209,06
T112050	*200	40	153	258,81
T112057	*200	40	153	337,62
T112076	*220	40	155	607,76



info@transflex.nu


KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS

1 3/4" x 1 1/4"

44,45 x 30,99 mm
Rulle 27,94 mm
28B - 1 - 2 - 3

B1	B2	B3	b1	c	r3
29,4	88,4	148,0	28,8	5	44



Material: C45 (*=svetsat nav)

Z	de	dp
8	132,0	116,15
9	146,0	129,96
10	160,0	143,85
11	174,0	157,77
12	188,0	171,74
13	204,0	185,75
14	218,0	199,76
15	232,0	213,79
16	246,0	227,84
17	260,0	241,90
18	274,0	255,98
19	289,0	270,06
20	303,0	284,15
21	317,0	298,24
22	331,0	312,34
23	345,0	326,44
24	359,0	340,55
25	373,0	354,66
26	387,0	368,77
27	401,0	382,88
28	416,0	397,00
29	430,0	411,12
30	444,0	425,24
31	458,0	439,37
32	472,0	453,49
33	486,0	467,62
34	500,0	481,75
35	514,0	495,88
36	529,0	510,01
37	543,0	524,13
38	557,0	538,27
40	585,0	566,54
45	656,0	637,22
50	726,0	707,91
57	825,0	806,90
60	869,0	849,32
76	1095,0	1075,62

SIMPLEX				
Artikelnummer	dm	D1	A	Kg.
S134008	74	25	70	2,86
S134009	88	25	70	4,00
S134010	100	25	70	5,18
S134011	112	25	70	6,51
S134012	125	25	70	8,04
S134013	125	25	70	8,88
S134014	125	25	70	9,79
S134015	125	25	70	10,77
S134016	160	30	75	14,96
S134017	160	30	75	16,09
S134018	160	30	75	17,28
S134019	160	30	75	18,56
S134020	160	30	75	19,90
S134021	160	30	75	21,31
S134022	*160	30	75	22,80
S134023	*160	30	75	24,36
S134024	*160	30	75	26,00
S134025	*160	30	75	27,70
S134026	*160	30	75	29,48
S134027	*160	30	75	31,36
S134028	*160	30	75	33,26
S134030	*160	30	75	37,33
S134032	*180	30	75	43,59
S134034	*180	30	75	48,24
S134035	*180	30	75	50,57
S134036	*180	30	75	53,18
S134038	*180	30	75	58,40
S134040	*180	30	75	63,92
S134045	*180	30	75	79,12
S134050	*180	30	75	96,00
S134057	*180	40	123	125,13
S134060	*180	40	123	144,00
S134076	*180	40	123	215,46

DUPLEX				
Artikelnummer	dm	D2	A	Kg.
D134008	74	30	120	4,75
D134009	88	30	120	6,66
D134010	100	30	120	8,79
D134011	112	30	120	11,19
D134012	125	30	120	13,91
D134013	125	30	120	16,25
D134014	125	30	120	18,81
D134015	145	30	120	22,64
D134016	160	30	120	26,52
D134017	160	30	120	29,74
D134018	160	30	120	33,17
D134019	180	30	120	38,14
D134020	180	30	120	42,02
D134021	180	30	120	49,10
D134022	*180	30	120	50,40
D134023	*180	30	120	54,92
D134024				
D134025	*180	30	120	64,62
D134026	*180	40	120	69,28
D134028	*180	40	120	80,28
D134030	*180	40	120	92,17
D134035	*200	40	120	127,17
D134038	*200	40	120	149,90
D134040	*200	40	120	167,15
D134045	*200	40	150	218,10
D134050	*200	40	150	267,99
D134057	*200	40	150	346,99
D134076	*200	40	150	615,35

TRIPLEX				
Artikelnummer	dm	D2	A	Kg.
T134008	74	30	180	7,04
T134009	88	30	180	9,89
T134010	100	30	180	13,10
T134011	112	30	180	16,73
T134012	125	30	180	20,84
T134013	125	30	180	24,70
T134014	125	30	180	28,93
T134015	145	30	180	34,58
T134016	160	30	180	40,44
T134017	160	30	180	45,77
T134018	160	30	180	51,76
T134019	180	30	180	58,07
T134020	180	30	180	64,49
T134021	180	40	180	71,28
T134023	*180	40	180	85,94
T134025	*180	40	180	112,07
T134030	*180	40	180	148,79
T134038	*200	40	180	244,01
T134040	*200	40	180	271,10
T134045	*200	40	209	352,63
T134057	*200	40	209	567,76
T134076	*238	40	217	1024,97





info@transflex.nu

5 x 2,5 mm

Rulle 3,2 mm

03 - 1

B1	B2	B3	b1	c	r3
2,3				0,4	5



Material: C45

Z	de	dp	SIMPLEX				DUPLEX	TRIPLEX
			Artikelnummer	dm	D1	A		
8	14,8	13,06	S0308	7	4	10	0,01	
9	16,4	14,62	S0309	8	5	10	0,01	
10	17,9	16,18	S0310	9	5	10	0,01	
11	19,5	17,75	S0311	11	6	10	0,01	
12	21,1	19,32	S0312	12	6	10	0,01	
13	22,6	20,89	S0313	14	6	10	0,01	
14	24,2	22,47	S0314	15	6	10	0,02	
15	25,8	24,04	S0315	16	6	10	0,02	
16	27,4	25,63	S0316	18	8	13	0,02	
17	29,0	27,20	S0317	18	8	13	0,03	
18	30,5	28,79	S0318	18	8	13	0,03	
19	32,1	30,38	S0319	18	8	13	0,03	
20	33,7	31,96	S0320	18	8	13	0,03	
21	35,3	33,54	S0321	20	8	13	0,04	
22	36,9	35,13	S0322	20	8	13	0,04	
23	38,5	36,72	S0323	20	8	13	0,04	
24	40,1	38,30	S0324	20	8	13	0,04	
25	41,6	39,89	S0325	20	8	13	0,04	
26	43,2	41,48	S0326	20	8	13	0,04	
27	44,8	43,07	S0327	25	8	15	0,07	
28	46,4	44,65	S0328	25	8	15	0,07	
29	48,0	46,25	S0329	25	8	15	0,07	
30	49,6	47,83	S0330	25	8	15	0,07	
31	51,2	49,42	S0331	30	8	15	0,10	
32	52,8	51,01	S0332	30	8	15	0,10	
33	54,4	52,60	S0333	30	8	15	0,10	
34	55,9	54,19	S0334	30	8	15	0,10	
35	57,5	55,78	S0335	30	8	15	0,11	
36	59,1	57,37	S0336	30	8	15	0,11	
37	60,7	58,96	S0337	30	8	15	0,11	
38	62,3	60,54	S0338	30	8	15	0,11	
39	63,9	62,13	S0339	30	8	15	0,12	
40	65,5	63,73	S0340	30	8	15	0,12	


KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS

2" x 1 1/4"

50,8 x 30,99 mm
Rulle 29,21 mm
32B - 1 - 2 - 3

B1	B2	B3	b1	c	r3
29,4	87,4	146	28,8	6	51



Material: C45 (*=svetsat nav)

Z	de	dp
8	152,0	132,74
9	168,0	148,54
10	184,0	164,39
11	200,0	181,31
12	216,0	196,29
13	235,0	212,29
14	251,0	228,29
15	267,0	244,30
16	283,0	260,40
17	299,0	276,46
18	315,0	292,55
19	331,0	308,66
20	347,0	324,71
21	363,0	340,82
22	379,0	356,98
23	396,0	373,08
24	412,0	389,18
25	428,0	405,33
26	444,0	421,44
27	460,0	437,59
28	476,0	453,69
29	492,0	469,85
30	508,0	486,00
31	525,0	502,13
32	541,0	518,27
33	557,0	534,42
34	573,0	550,56
35	589,0	566,71
36	605,0	582,86
37	622,0	599,01
38	638,0	615,16
40	670,0	647,47
45	751,0	728,24
50	832,0	809,04
57	945,0	922,16
60	993,0	970,65
76	1252,0	1229,27

SIMPLEX				
Artikelnummer	dm	D1	A	Kg.
S2008	85	30	80	4,20
S2009	100	30	80	5,78
S2010	115	30	80	7,60
S2011	125	30	80	9,26
S2012	133	30	80	10,91
S2013	145	30	80	13,05
S2014	145	30	80	14,25
S2015	145	30	80	15,53
S2016	160	30	90	19,87
S2017	160	30	90	21,35
S2018	160	30	90	22,92
S2019	160	30	90	24,53
S2020	180	40	90	28,50
S2021	180	40	90	30,36
S2022	*180	40	90	32,31
S2023	*180	40	90	34,36
S2024	*180	40	90	36,50
S2025	*180	40	90	38,74
S2026	*180	40	90	41,07
S2028	*180	40	90	46,01
S2030	*180	40	90	51,34
S2032	*200	40	90	59,89
S2035	*200	40	90	69,16
S2038	*200	40	90	79,28
S2040	*200	40	90	86,50
S2045	*218	40	123	118,87
S2050	*218	40	123	140,96
S2057	*218	40	123	175,86
S2060	*218	40	123	192,24
S2076	*218	40	123	294,00

DUPLEX				
Artikelnummer	dm	D2	A	Kg.
D2009	100	30	120	9,14
D2010	115	30	120	12,01
D2011	125	35	120	14,75
D2012	133	35	120	17,95
D2013	145	35	120	21,68
D2014	145	35	120	25,03
D2015	160	35	120	29,30
D2016	160	40	120	33,21
D2017	180	40	120	38,76
D2018	180	40	120	43,24
D2019	200	40	120	49,52
D2020	200	40	120	54,56
D2021	200	40	120	59,87
D2022	*200	40	120	65,47
D2023	*200	40	120	71,35
D2024	*200	40	120	77,52
D2025	*200	40	120	83,66
D2026	*200	40	120	90,69
D2028	*200	40	120	104,99
D2030	*200	40	120	120,41
D2035	*200	40	120	163,85
D2038	*200	40	120	193,33
D2040	*200	40	120	214,39
D2045	*220	40	148	282,32
D2050	*220	40	148	346,95
D2057	*220	40	148	449,27
D2076	*220	40	148	796,60

TRIPLEX				
Artikelnummer	dm	D2	A	Kg.
T2008	85	30	180	9,90
T2009	100	30	180	13,65
T2010	115	30	180	17,97
T2011	125	35	180	22,22
T2012	133	35	180	27,23
T2013	145	35	180	32,98
T2014	145	35	180	38,50
T2015	160	35	180	45,04
T2016	160	40	180	51,50
T2017	200	40	180	61,45
T2018	200	40	180	68,85
T2019	200	40	180	76,73
T2020	200	40	180	85,07
T2021	200	40	180	93,89
T2023	*200	40	180	112,93
T2025	*200	40	180	133,86
T2030	*200	40	180	194,42
T2035	*200	40	180	267,49
T2038	*200	40	180	316,22
T2045	*220	40	207	456,64
T2050	*220	40	207	564,27
T2057	*220	40	207	734,72
T2076	*238	40	216	1319,64



info@transflex.nu

KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606



SPROCKETS FOR ROLLER CHAINS

6 x 2,8 mm

Rulle 4 mm

04 - 1

B1	B2	B3	b1	c	r3
2,6				0,6	6



Material: C45 (*=svetsat nav)

Z	de	dp
8	18,0	15,67
9	19,9	17,54
10	21,7	19,42
11	23,6	21,30
12	25,4	23,18
13	27,3	25,05
14	29,2	26,96
15	31,1	28,86
16	33,0	30,76
17	35,0	32,65
18	36,9	34,55
19	38,8	36,44
20	40,7	38,34
21	42,6	40,25
22	44,5	42,16
23	46,4	44,06
24	48,3	45,96
25	50,2	47,87
26	52,1	49,77
27	54,0	51,67
28	55,9	53,58
29	57,8	55,50
30	59,8	57,42
31	61,7	59,31
32	63,6	61,21
33	65,5	63,11
34	67,4	65,02
35	69,3	66,93
36	71,2	68,84
37	73,1	70,75
38	75,0	72,66
39	76,9	74,56
40	78,9	76,47
45	88,5	86,01
48	94,2	91,74
50	98,0	95,55
57	111,4	108,93
60	117,5	114,62
76	148,1	145,19



SIMPLEX				
Artikelnummer	dm	D1	A	Kg.
S0408	10	5	10	0,01
S0409	12	5	10	0,01
S0410	13	6	10	0,01
S0411	14	6	10	0,01
S0412	16	6	10	0,02
S0413	18	6	10	0,02
S0414	20	6	10	0,03
S0415	20	6	10	0,03
S0416	20	8	13	0,03
S0417	20	8	13	0,04
S0418	20	8	13	0,04
S0419	20	8	13	0,04
S0420	20	8	13	0,06
S0421	25	8	13	0,06
S0422	25	8	13	0,06
S0423	25	8	13	0,06
S0424	25	8	13	0,07
S0425	25	8	13	0,07
S0426	30	8	15	0,10
S0427	30	8	15	0,10
S0428	30	8	15	0,11
S0429	30	8	15	0,11
S0430	30	8	15	0,11
S0431	30	10	15	0,11
S0432	30	10	15	0,12
S0433	30	10	15	0,12
S0434	30	10	15	0,12
S0435	30	10	15	0,13
S0436	30	10	15	0,13
S0437	30	10	15	0,14
S0438	30	10	15	0,14
S0439	30	10	15	0,14
S0440	30	10	15	0,15
S0445	62	12	18	0,46
S0448	62	12	18	0,48
S0450	62	12	18	0,49
S0457	62	12	18	0,53
S0460	*62	12	20	0,68
S0476	*80	16	34	1,58



info@transflex.nu

KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606
SPROCKETS FOR ROLLER CHAINS

B1	B2	B3	b1	c	r3
3,0				0,8	13



Material: C45

Z	de	dp
8	39,5	33,18
9	43,4	37,13
10	47,4	41,10
11	51,4	45,07
12	55,4	49,07
13	59,4	53,06
14	63,4	57,07
15	67,4	61,09
16	71,4	65,10
17	75,4	69,11
18	79,4	73,14
19	83,5	77,16
20	87,5	81,19
21	91,5	85,22
22	95,5	89,24
23	99,6	93,27
24	103,6	97,29
25	107,6	101,33
26	111,7	105,36
27	115,7	109,40
28	119,7	113,42
29	123,8	117,46
30	127,8	121,50
32	135,9	129,56
34	143,9	137,64
35	148,0	141,68
36	152,0	145,72
37	156,1	149,76
38	160,1	153,80
39	164,1	157,83
40	168,2	161,87

SIMPLEX					
Artikelnummer	dm	D1	A	Kg	
S08108	21	8	14	0,04	
S08109	25	8	14	0,06	
S08110	28	8	14	0,07	
S08111	31	8	16	0,11	
S08112	35	8	16	0,13	
S08113	39	8	16	0,16	
S08114	43	8	16	0,19	
S08115	47	8	16	0,23	
S08116	50	10	18	0,29	
S08117	50	10	18	0,30	
S08118	50	10	18	0,31	
S08119	50	10	18	0,32	
S08120	50	10	18	0,33	
S08121	60	12	20	0,48	
S08122	60	12	20	0,49	
S08123	60	12	20	0,51	
S08124	60	12	20	0,52	
S08125	60	12	20	0,53	
S08126	70	16	20	0,67	
S08127	70	16	20	0,69	
S08128	70	16	20	0,70	
S08129	70	16	20	0,72	
S08130	70	16	20	0,74	
S08132	70	16	20	0,77	
S08134	70	16	20	0,81	
S08135	70	16	20	0,83	
S08136	70	16	25	1,00	
S08137	70	16	25	1,02	
S08138	70	16	25	1,04	
S08139	70	16	25	1,06	
S08140	70	16	25	1,08	

DUPLEX

[illegible]

KEDJEHJUL FÖR RULLKEDJA - DIN 8187 - ISO 606

SPROCKETS FOR ROLLER CHAINS



1/2" x 3/16"

12,7 x 4,88mm

Rulle 7,75 mm

083 - 1 / 084 - 1

B1	B2	B3	b1	c	r3
4,5				1,3	13



Material: C45

Z	de	dp
8	39,5	33,18
9	43,4	37,13
10	47,4	41,10
11	51,4	45,07
12	55,4	49,07
13	59,4	53,06
14	63,4	57,07
15	67,4	61,09
16	71,4	65,10
17	75,4	69,11
18	79,4	73,14
19	83,5	77,16
20	87,5	81,19
21	91,5	85,22
22	95,5	89,24
23	99,6	93,27
24	103,6	97,29
25	107,6	101,33
26	111,7	105,36
27	115,7	109,40
28	119,7	113,42
29	123,8	117,46
30	127,8	121,50
31	131,8	125,54
32	135,9	129,56
33	139,9	133,60
34	143,9	137,64
35	148,0	141,68
36	152,0	145,72
37	156,1	149,76
38	160,1	153,80
39	164,1	157,83
40	168,2	161,87

SIMPLEX				
Artikelnummer	dm	D1	A	Kg.
S083008	21	8	14	0,04
S083009	25	8	14	0,06
S083010	28	8	14	0,08
S083011	31	8	16	0,11
S083012	35	8	16	0,14
S083013	39	8	16	0,17
S083014	43	8	16	0,20
S083015	47	8	16	0,24
S083016	50	10	18	0,30
S083017	50	10	18	0,31
S083018	50	10	18	0,33
S083019	50	10	18	0,34
S083020	50	10	18	0,36
S083021	60	12	20	0,51
S083022	60	12	20	0,53
S083023	60	12	20	0,55
S083024	60	12	20	0,57
S083025	60	12	20	0,59
S083026	70	16	20	0,72
S083027	70	16	20	0,74
S083028	70	16	20	0,77
S083029	70	16	20	0,79
S083030	70	16	20	0,82
S083031	70	16	20	0,85
S083032	70	16	20	0,87
S083033	70	16	20	0,90
S083034	70	16	20	0,93
S083035	70	16	20	0,96
S083036	70	16	25	1,14
S083037	70	16	25	1,17
S083038	70	16	25	1,20
S083039	70	16	25	1,24
S083040	70	16	25	1,27



info@transflex.nu