



KILREMSSKIVOR FÖR TAPER LOCK BUSSNING

V-BELTS PULLEYS FOR TAPER BUSH


SPB - 1




1



4



6



7

Material: Gjutjärn EN-GJL-200

Benämning	Artikelnr.	Antal spår	dp	de	Typ	För bussning	Axelhål max	Dm	Di	E	F	L	R	S	Kg.
SPB 100x1	1SPB100	1	100	107	1	1610	42				25	25			0,90
SPB 106x1	1SPB106	1	106	113	1	1610	42				25	25			1,00
SPB 112x1	1SPB112	1	112	119	1	1610	42				25	25			1,20
SPB 118x1	1SPB118	1	118	125	1	1610	42				25	25			1,30
SPB 125x1	1SPB125	1	125	132	1	1610	42				25	25			1,50
SPB 132x1	1SPB132	1	132	139	1	1610	42				25	25			1,70
SPB 140x1	1SPB140	1	140	147	1	1610	42				25	25			1,80
SPB 150x1	1SPB150	1	150	157	1	1610	42				25	25			2,10
SPB 160x1	1SPB160	1	160	167	1	1610	42				25	25			2,50
SPB 170x1	1SPB170	1	170	177	1	1610	42				25	25			2,90
SPB 180x1	1SPB180	1	180	187	6	1610	42	90	132	12	25	25			3,20
SPB 190x1	1SPB190	1	190	197	7	2012	50	104	147	12	25	32	3,5	4	3,80
SPB 200x1	1SPB200	1	200	207	4	2012	50	104	157		25	32	3,5	4	4,20
SPB 212x1	1SPB212	1	212	219	4	2012	50	104	169		25	32	3,5	4	4,40
SPB 224x1	1SPB224	1	224	231	4	2012	50	104	181		25	32	3,5	4	4,70
SPB 236x1	1SPB236	1	236	243	4	2012	50	104	193		25	32	3,5	4	4,60
SPB 250x1	1SPB250	1	250	257	4	2012	50	104	207		25	32	3,5	4	5,30
SPB 280x1	1SPB280	1	280	287	4	2012	50	104	237		25	32	3,5	4	6,00
SPB 300x1	1SPB300	1	300	307	4	2012	50	104	258		25	32	3,5	4	6,50
SPB 315x1	1SPB315	1	315	322	4	2012	50	104	272		25	32	3,5	4	7,00




info@transflex.nu

KILREMSSKIVOR FÖR TAPER LOCK BUSSNING

V-BELTS PULLEYS FOR TAPER BUSH

SPB - 2



Material: Gjutjärn EN-GJL-200

Benämning	Artikelnr.	Antal spår	dp	de	Typ	För bussning	Axelhål max	Dm	Di	E	F	L	R	S	Kg.
SPB 95x2	2SPB95	2	95	102	8	1210	32	55	44	25	19	1,22			
SPB 100x2	2SPB100	2	100	107	8	1610	42	62	44	25	19	1,40			
SPB 106x2	2SPB106	2	106	113	8	1610	42	67	44	25	19	1,60			
SPB 112x2	2SPB112	2	112	119	8	1610	42	72	44	25	19	1,70			
SPB 118x2	2SPB118	2	118	125	2	1610	42	78	44	25	19	1,80			
SPB 125x2	2SPB125	2	125	132	2	2012	50	82	44	32	12	1,90			
SPB 132x2	2SPB132	2	132	139	2	2012	50	89	44	32	12	2,50			
SPB 140x2	2SPB140	2	140	147	2	2012	50	97	44	32	12	2,70			
SPB 150x2	2SPB150	2	150	157	2	2012	50	107	44	32	12	3,20			
SPB 160x2	2SPB160	2	160	167	2	2012	50	117	44	32	12	3,80			
SPB 170x2	2SPB170	2	170	177	2	2012	50	127	44	32	12	4,80			
SPB 180x2	2SPB180	2	180	187	1	2517	65	120	44	45	1	6,30			
SPB 190x2	2SPB190	2	190	197	1	2517	65	120	44	45	1	7,20			
SPB 200x2	2SPB200	2	200	207	1	2517	65	117	44	45	1	8,20			
SPB 212x2	2SPB212	2	212	219	7	2517	65	117	169	15	44	45	1	5,40	
SPB 224x2	2SPB224	2	224	231	4	2517	65	117	181	44	45	1	5,90		
SPB 236x2	2SPB236	2	236	243	4	2517	65	117	193	44	45	1	6,60		
SPB 250x2	2SPB250	2	250	257	4	2517	65	125	207	44	45	1	7,10		
SPB 265x2	2SPB265	2	265	272	4	2517	65	125	222	44	45	1	7,20		
SPB 280x2	2SPB280	2	280	287	4	2517	65	125	237	44	45	1	7,40		
SPB 300x2	2SPB300	2	300	307	4	2517	65	125	257	44	45	1	8,60		
SPB 315x2	2SPB315	2	315	322	4	2517	65	125	272	44	45	1	9,90		
SPB 335x2	2SPB335	2	335	342	4	2517	65	125	292	44	45	1	11,30		
SPB 355x2	2SPB355	2	355	362	4	3020	75	144	312	44	51	3,5	3,5	12,00	
SPB 400x2	2SPB400	2	400	407	4	3020	75	150	357	44	51	3,5	3,5	13,00	
SPB 450x2	2SPB450	2	450	457	4	3020	75	150	407	44	51	3,5	3,5	13,50	
SPB 500x2	2SPB500	2	500	507	4	3020	75	150	457	44	51	3,5	3,5	15,00	
SPB 560x2	2SPB560	2	560	567	4	3020	75	150	517	44	76	28	4	20,15	
SPB 630x2	2SPB630	2	630	637	4	3030	75	150	587	44	76	16	16	24,50	




info@transflex.nu

KILREMSSKIVOR FÖR TAPER LOCK BUSSNING

V-BELTS PULLEYS FOR TAPER BUSH

SPB - 3



Material: Gjutjärn EN-GJL-200

Benämning	Artikelnr.	Antal spår	dp	de	Typ	För bussning	Axelhål max	Dm	Di	E	F	L	R	S	Kg.
SPB 95x3	3SPB95	2	95	102	8	1210	42		55	44	25			38	1,44
SPB 100x3	3SPB100	2	100	107	8	1610	42		62	44	25			38	1,90
SPB 106x3	3SPB106	2	106	113	8	1610	42		67	44	25			38	2,20
SPB 112x3	3SPB112	2	112	119	8	1610	42		72	44	25			38	2,40
SPB 118x3	3SPB118	2	118	125	2	1610	42		78	44	25	38			2,60
SPB 125x3	3SPB125	2	125	132	2	2012	50		82	44	32	31			3,20
SPB 132x3	3SPB132	2	132	139	2	2012	50		89	44	32	31			3,20
SPB 140x3	3SPB140	2	140	147	2	2012	50		97	44	32	31			3,60
SPB 150x3	3SPB150	2	150	157	2	2012	65		107	44	32	18			4,00
SPB 160x3	3SPB160	2	160	167	2	2012	65		117	44	32	18			4,50
SPB 170x3	3SPB170	2	170	177	2	2012	65		127	44	32	18			5,57
SPB 180x3	3SPB180	2	180	187	2	2517	65	120		44	45	18			5,90
SPB 190x3	3SPB190	2	190	197	2	2517	65	120		44	45	18			6,50
SPB 200x3	3SPB200	2	200	207	2	2517	65	117		44	45	18			6,70
SPB 212x3	3SPB212	2	212	219	6	2517	65	117	169	15	44	45	18		6,90
SPB 224x3	3SPB224	2	224	231	5	2517	65	117	181		44	45	18		7,50
SPB 236x3	3SPB236	2	236	243	5	2517	65	117	193		44	45	18		8,80
SPB 250x3	3SPB250	2	250	257	5	2517	75	125	207		44	45	12		10,20
SPB 265x3	3SPB265	2	265	272	5	2517	75	125	222		44	45	6		10,80
SPB 280x3	3SPB280	2	280	287	5	2517	75	125	237		44	45	6		11,30
SPB 300x3	3SPB300	2	300	307	5	2517	75	125	257		44	45	6		12,30
SPB 315x3	3SPB315	2	315	322	5	2517	75	125	272		44	45	6		13,50
SPB 335x3	3SPB335	2	335	342	5	2517	75	125	292		44	45	6		14,70
SPB 355x3	3SPB355	2	355	362	5	3020	75	144	312		44	51	6	3,5	14,00
SPB 400x3	3SPB400	2	400	407	4	3020	90	150	357		44	51	13	3,5	20,80
SPB 450x3	3SPB450	2	450	457	4	3020	90	150	407		44	51	26	3,5	24,00
SPB 500x3	3SPB500	2	500	507	4	3020	90	150	457		44	51	26	3,5	24,00
SPB 560x3	3SPB560	2	560	567	4	3020	90	150	517		44	76	26	4	30,00
SPB 630x3	3SPB630	2	630	637	4	3030	90	150	587		44	76	26	16	33,50
SPB 710x3	3SPB710	3	710	717	4	3535	90	175	664				13	13	43,00
SPB 800x3	3SPB800	3	800	807	4	3535	90	175	754				13	13	49,00
SPB 900x3	3SPB900	3	900	907	4	3535	90	175	854				13	13	55,00
SPB 1000x3	3SPB1000	3	1000	1007	4	4040	100	210	954				19,5	19,5	76,00
SPB 1250x3	3SPB1250	3	1250	1257	4	4040	100	210	1204				20	20	102,00




info@transflex.nu


KILREMSSKIVOR FÖR TAPER LOCK BUSSNING

V-BELTS PULLEYS FOR TAPER BUSH


SPB - 4




2



4



5



8

Material: Gjutjärn EN-GJL-200

Benämning	Artikelnr.	Antal spår	dp	de	Typ	För bussning	Axelhål max	Dm	Di	E	F	L	R	S	Kg.
SPB 118x4	4SPB118	4	125	125	8	1610	42	78	82	82	25	57	4		
SPB 125x4	4SPB125	4	125	132	3	2012	50	82	82	82	32	25	25	3,5	
SPB 132x4	4SPB132	4	139	139	3	2012	50	89	82	82	32	25	25	3,7	
SPB 140x4	4SPB140	4	140	147	3	2517	65	100	82	82	45	19	19	4,3	
SPB 150x4	4SPB150	4	150	157	3	2517	65	107	82	82	45	19	19	4,6	
SPB 160x4	4SPB160	4	160	167	3	2517	65	117	82	82	45	19	19	5,2	
SPB 170x4	4SPB170	4	170	177	3	2517	65	127	82	82	45	19	19	6,1	
SPB 180x4	4SPB180	4	180	187	3	2517	65	137	82	82	45	19	19	7,2	
SPB 190x4	4SPB190	4	190	197	3	2517	65	147	82	82	45	19	19	7,9	
SPB 200x4	4SPB200	4	200	207	3	3020	75	157	82	82	51	16	16	9,08	
SPB 212x4	4SPB212	4	212	219	3	3020	75	169	82	82	51	16	16	10	
SPB 224x4	4SPB224	4	224	231	3	3020	75	181	82	82	51	16	16	11,5	
SPB 236x4	4SPB236	4	236	243	3	3020	75	193	82	82	51	16	16	12,8	
SPB 250x4	4SPB250	4	250	257	5	3020	75	144	207	82	51	16	16	13,5	
SPB 265x4	4SPB265	4	265	272	5	3020	75	144	222	82	51	16	16	13,8	
SPB 280x4	4SPB280	4	280	287	5	3020	75	144	237	82	51	16	16	14,1	
SPB 300x4	4SPB300	4	300	307	4	3535	90	175	257	82	89	7		15,8	
SPB 315x4	4SPB315	4	315	322	4	3535	90	175	272	82	89	3,5	3,5	19	
SPB 335x4	4SPB335	4	335	342	4	3535	90	175	292	82	89	3,5	3,5	20,7	
SPB 355x4	4SPB355	4	355	362	4	3535	90	175	312	82	89	3,5	3,5	21,4	
SPB 400x4	4SPB400	4	400	407	4	3535	90	175	357	82	89	3,5	3,5	24,3	
SPB 450x4	4SPB450	4	450	457	4	3535	90	175	407	82	89	7		27,4	
SPB 500x4	4SPB500	4	500	507	4	3535	90	175	457	82	89	7		31	
SPB 560x4	4SPB560	4	560	567	4	3535	90	175	517	82	89	7		36	
SPB 630x4	4SPB630	4	630	637	4	3535	90	175	587	82	89	7		41	
SPB 710x4	4SPB710	4	710	717	4	3535	90	175	664	82	89	3,5	3,5	49	
SPB 800x4	4SPB800	4	800	807	4	4040	100	210	754	82	102	10	10	63	
SPB 900x4	4SPB900	4	900	907	4	4040	100	210	854	82	102	10	10	75	
SPB 1000x4	4SPB1000	4	1000	1007	4	4040	100	210	954	82	102	16	10	86	
SPB 1250x4	4SPB1250	4	1250	1257	4	4545	110	242	1204	82	114	16	16	118	




info@transflex.nu

KILREMSSKIVOR FÖR TAPER LOCK BUSSNING

V-BELTS PULLEYS FOR TAPER BUSH

SPB - 5



Material: Gjutjärn EN-GJL-200

Benämning	Artikelnr.	Antal spår	dp	de	Typ	För bussning	Axelhål max	Dm	Di	E	F	L	R	S	Kg.
SPB 125x5	5SPB125	5	125	132	8	2012	50	87	101	32	69	4			
SPB 132x5	5SPB132	5	132	139	8	2517	65	94	101	45	56	3,7			
SPB 140x5	5SPB140	5	140	147	3	2517	65	97	101	45	28	28	4,63		
SPB 150x5	5SPB150	5	150	157	3	2517	65	107	101	45	28	28	5,50		
SPB 160x5	5SPB160	5	160	167	3	2517	65	117	101	45	28	28	6,40		
SPB 170x5	5SPB170	5	170	177	3	3020	75	127	101	51	25	25	6,50		
SPB 180x5	5SPB180	5	180	187	3	3020	75	137	101	51	25	25	7,70		
SPB 190x5	5SPB190	5	190	197	3	3020	75	147	101	51	25	25	8,70		
SPB 200x5	5SPB200	5	200	207	3	3020	75	157	101	51	25	25	10,20		
SPB 212x5	5SPB212	5	212	219	3	3020	75	169	101	51	25	25	11,70		
SPB 224x5	5SPB224	5	224	231	3	3020	75	181	101	51	25	25	13,00		
SPB 236x5	5SPB236	5	236	243	3	3535	90	193	101	89	6	6	18,50		
SPB 250x5	5SPB250	5	250	257	3	3535	90	207	101	89	6	6	21,90		
SPB 265x5	5SPB265	5	265	272	6	3535	90	175 222	30 101	89	6	6	21,20		
SPB 280x5	5SPB280	5	280	287	6	3535	90	175 237	25 101	89	6	6	20,50		
SPB 300x5	5SPB300	5	300	307	5	3535	90	175 257	101	89	6	6	22,70		
SPB 315x5	5SPB315	5	315	322	5	3535	90	175 272	101	89	6	6	21,10		
SPB 335x5	5SPB335	5	335	342	5	3535	90	175 292	101	89	6	6	22,60		
SPB 355x5	5SPB355	5	355	362	4	3535	90	175 312	101	89	6	6	24,00		
SPB 400x5	5SPB400	5	400	407	4	3535	90	175 357	101	89	6	6	27,00		
SPB 450x5	5SPB450	5	450	457	4	3535	90	175 407	101	89	12		32,00		
SPB 500x5	5SPB500	5	500	507	4	3535	90	175 457	101	89	12		34,00		
SPB 560x5	5SPB560	5	560	567	4	4040	100	210 517	101	102	1		44,00		
SPB 630x5	5SPB630	5	630	637	4	4040	100	210 587	101	102	1		59,00		
SPB 710x5	5SPB710	5	710	717	4	4040	100	210 664	101	102	1		61,00		
SPB 800x5	5SPB800	5	800	807	4	4040	100	210 754	101	102	1		70,00		
SPB 900x5	5SPB900	5	900	907	4	4040	100	210 854	101	102	1		76,00		
SPB 1000x5	5SPB1000	5	1000	1007	4	4545	110	242 954	101	114	6,5	6,5	104		
SPB 1250x5	5SPB1250	5	1250	1257	4	4545	110	242 1204	101	114	6,5	6,5	127		




info@transflex.nu


KILREMSSKIVOR FÖR TAPER LOCK BUSSNING

V-BELTS PULLEYS FOR TAPER BUSH


SPB - 6



3



5



6

Material: Gjutjärn EN-GJL-200

Material: Själgarn EN-SS2-200															
Benämning	Artikelnr.	Antal spår	dp	de	Typ	För bussning	Axelhål max	Dm	Di	E	F	L	R	S	Kg.
SPB 140x6	6SPB140	6	140	147	3	2517	65		100		120	45	38	38	5,40
SPB 150x6	6SPB150	6	150	157	3	2517	65		107		120	45	38	38	6,20
SPB 160x6	6SPB160	6	160	167	3	3020	75		118		120	51	34,5	34,5	5,80
SPB 170x6	6SPB170	6	170	177	3	3020	75		127		120	51	34,5	34,5	7,40
SPB 180x6	6SPB180	6	180	187	3	3020	75		137		120	51	34,5	34,5	8,70
SPB 190x6	6SPB190	6	190	197	3	3020	75		147		120	51	34,5	34,5	9,40
SPB 200x6	6SPB200	6	200	207	3	3020	75		157		120	51	34,5	34,5	11,00
SPB 212x6	6SPB212	6	212	219	3	3535	90		169		120	89	15,5	15,5	14,50
SPB 224x6	6SPB224	6	224	231	3	3535	90		181		120	89	15,5	15,5	17,00
SPB 236x6	6SPB236	6	236	243	3	3535	90		193		120	89	15,5	15,5	20,00
SPB 250x6	6SPB250	6	250	257	3	3535	90		207		120	89	15,5	15,5	23,50
SPB 265x6	6SPB265	6	265	272	6	3535	90	175	222	30	120	89	15,5	15,5	23,30
SPB 280x6	6SPB280	6	280	287	6	3535	90	175	237	25	120	89	15,5	15,5	21,00
SPB 300x6	6SPB300	6	300	307	5	3535	90	175	257		120	89	15,5	15,5	22,00
SPB 315x6	6SPB315	6	315	322	5	3535	90	175	272		120	89	15,5	15,5	23,00
SPB 335x6	6SPB335	6	335	342	5	3535	90	175	292		120	89	15,5	15,5	24,80
SPB 355x6	6SPB355	6	355	362	5	3535	90	175	312		120	89	15,5	15,5	26,00
SPB 400x6	6SPB400	6	400	407	5	3535	90	175	357		120	89	15,5	15,5	29,50
SPB 450x6	6SPB450	6	450	457	5	4040	100	210	407		120	102	18		39,00
SPB 500x6	6SPB500	6	500	507	5	4040	100	210	457		120	102	18		43,00
SPB 560x6	6SPB560	6	560	567	5	4040	100	210	517		120	102	18		47,00
SPB 630x6	6SPB630	6	630	637	5	4040	100	210	587		120	102	18		55,00
SPB 710x6	6SPB710	6	710	717	5	4040	100	210	664		120	102	9	9	66,00
SPB 800x6	6SPB800	6	800	807	5	4545	110	242	754		120	114	3	3	79,00
SPB 900x6	6SPB900	6	900	907	5	4545	110	242	854		120	114	3	3	96,00
SPB 1000x6	6SPB1000	6	1000	1007	5	4545	110	242	954		120	114	3	3	109,00
SPB 1250x6	6SPB1250	6	1250	1257	5	4545	110	242	1204		120	114	3	3	142,00




info@transflex.nu


KILREMSSKIVOR FÖR TAPER LOCK BUSSNING

V-BELTS PULLEYS FOR TAPER BUSH


SPB - 8



3



5



6

Material: Gjutjärn EN-GJL-200

Benämning	Artikelnr.	Antal spår	dp	de	Typ	För bussning	Axelhål max	Dm	Di	E	F	L	R	S	Kg.
SPB 140x8	8SPB140	8	140	147	3	2517	65		97		158	45	56,5	56,5	6,80
SPB 150x8	8SPB150	8	150	157	3	2517	65		107		158	45	56,5	56,5	7,80
SPB 160x8	8SPB160	8	160	167	3	3020	75		118		158	51	53,5	53,5	7,70
SPB 170x8	8SPB170	8	170	177	3	3030	75		127		158	76	41	41	10,10
SPB 180x8	8SPB180	8	180	187	3	3030	75		137		158	76	41	41	11,80
SPB 190x8	8SPB190	8	190	197	3	3030	75		147		158	76	41	41	13,20
SPB 200x8	8SPB200	8	200	207	3	3535	90		157		158	89	34,5	34,5	14,50
SPB 212x8	8SPB212	8	212	219	3	3535	90		169		158	89	34,5	34,5	17,00
SPB 224x8	8SPB224	8	224	231	3	3535	90		181		158	89	34,5	34,5	19,50
SPB 236x8	8SPB236	8	236	243	3	3535	90		193		158	89	34,5	34,5	22,50
SPB 250x8	8SPB250	8	250	257	3	3535	90		207		158	89	34,5	34,5	26,00
SPB 280x8	8SPB280	8	280	287	6	3535	90	175	237	25	158	89	34,5	34,5	25,00
SPB 300x8	8SPB300	8	300	307	6	3535	90	175	257	25	158	89	34,5	34,5	27,50
SPB 315x8	8SPB315	8	315	322	5	3535	90	175	272		158	89	34,5	34,5	26,50
SPB 335x8	8SPB335	8	335	342	5	3535	90	175	292		158	89	34,5	34,5	29
SPB 355x8	8SPB355	8	355	362	5	3535	90	175	312		158	89	34,5	34,5	30
SPB 400x8	8SPB400	8	400	407	5	4040	100	210	357		158	102	28	28	40
SPB 450x8	8SPB450	8	450	457	5	4040	100	210	407		158	102	28	28	46
SPB 500x8	8SPB500	8	500	507	5	4040	100	210	457		158	102	28	28	53
SPB 560x8	8SPB560	8	560	567	5	4545	110	242	517		158	114	22	22	65
SPB 630x8	8SPB630	8	630	637	5	4545	110	242	587		158	114	22	22	75
SPB 710x8	8SPB710	8	710	717	5	4545	110	242	664		158	114	22	22	85
SPB 800x8	8SPB800	8	800	807	5	4545	110	242	754		158	114	22	22	100
SPB 900x8	8SPB900	8	900	907	5	4545	110	242	854		158	114	22	22	113
SPB 1000x8	8SPB1000	8	1000	1007	5	5050	125	267	954		158	127	15,5	15,5	137
SPB 1250x8	8SPB1250	8	1250	1257	5	5050	125	267	1204		158	127	15,5	15,5	166




info@transflex.nu


KILREMSSKIVOR FÖR TAPER LOCK BUSSNING

V-BELTS PULLEYS FOR TAPER BUSH


SPB - 10



3



5



6

Material: Gjutjärn EN-GJL-200

Benämning	Artikelnr.	Antal spår	dp	de	Typ	För bussning	Axelhål max	Dm	Di	E	F	L	R	S	Kg.
SPB 224x10	10SPB224	10	224	231	3	3535	90		181		196	89	53,5	53,5	22,50
SPB 236x10	10SPB236	10	236	243	3	3535	90		193		196	89	53,5	53,5	25
SPB 250x10	10SPB250	10	250	257	3	3535	90		207		196	89	53,5	53,5	29
SPB 280x10	10SPB280	10	280	287	6	3535	90	175	237	30	196	89	53,5	53,5	29,50
SPB 315x10	10SPB315	10	315	322	6	3535	90	175	272	30	196	89	53,5	53,5	40
SPB 335x10	10SPB335	10	335	342	5	4040	100	210	292		196	102	47	47	43
SPB 355x10	10SPB355	10	355	362	5	4040	100	210	312		196	102	47	47	45
SPB 400x10	10SPB400	10	400	407	5	4040	100	210	357		196	102	47	47	46
SPB 450x10	10SPB450	10	450	457	5	4545	110	242	407		196	114	41	41	58
SPB 500x10	10SPB500	10	500	507	5	4545	110	242	457		196	114	41	41	65
SPB 560x10	10SPB560	10	560	567	5	4545	110	242	517		196	114	41	41	67
SPB 630x10	10SPB630	10	630	637	5	4545	110	242	587		196	114	41	41	81
SPB 710x10	10SPB710	10	710	717	5	4545	110	242	664		196	114	41	41	95
SPB 800x10	10SPB800	10	800	807	5	4545	110	242	754		196	114	41	41	103
SPB 900x10	10SPB900	10	900	907	5	5050	125	267	854		196	127	34,5	34,5	133
SPB 1000x10	10SPB1000	10	1000	1007	5	5050	125	267	954		196	127	34,5	34,5	146
SPB 1250x10	10SPB1250	10	1250	1257	5	5050	125	267	1204		196	127	34,5	34,5	218



info@transflex.nu