




KUGGHJUL CYLINDRICAL GEARS

MODUL 1
Ingreppsvinkel 20°

A	B
25	15



Material: C45 stål

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S1001215	14	12	9	-	0,01
13	S1001315	15	13	10	-	0,02
14	S1001415	16	14	11	-	0,02
15	S1001515	17	15	12	-	0,02
16	S1001615	18	16	13	-	0,03
17	S1001715	19	17	14	-	0,03
18	S1001815	20	18	15	8	0,03
19	S1001915	21	19	15	8	0,04
20	S1002015	22	20	16	8	0,04
21	S1002115	23	21	16	8	0,05
22	S1002215	24	22	16	8	0,05
23	S1002315	25	23	18	8	0,06
24	S1002415	26	24	20	10	0,06
25	S1002515	27	25	20	10	0,07
26	S1002615	28	26	20	10	0,07
27	S1002715	29	27	20	10	0,08
28	S1002815	30	28	20	10	0,08
29	S1002915	31	29	20	10	0,09
30	S1003015	32	30	20	10	0,09
31	S1003115	33	31	25	10	0,11
32	S1003215	34	32	25	10	0,12
33	S1003315	35	33	25	10	0,12
34	S1003415	36	34	25	10	0,13
35	S1003515	37	35	25	10	0,14
36	S1003615	38	36	25	10	0,14
37	S1003715	39	37	25	10	0,15
38	S1003815	40	38	25	10	0,16
39	S1003915	41	39	25	10	0,16
40	S1004015	42	40	25	10	0,17
41	S1004115	43	41	30	10	0,19
42	S1004215	44	42	30	10	0,20
43	S1004315	45	43	30	10	0,21
44	S1004415	46	44	30	10	0,22
45	S1004515	47	45	30	10	0,23
46	S1004615	48	46	30	10	0,23
47	S1004715	49	47	30	10	0,24
48	S1004815	50	48	30	10	0,25
49	S1004915	51	49	30	10	0,26
50	S1005015	52	50	30	12	0,26
51	S1005115	53	51	40	12	0,32
52	S1005215	54	52	40	12	0,33
53	S1005315	55	53	40	12	0,33
54	S1005415	56	54	40	12	0,34

Z	Artikelnummer	de	dp	dm	D1	Kg.
55	S1005515	57	55	40	12	0,36
56	S1005615	58	56	40	12	0,37
57	S1005715	59	57	40	12	0,38
58	S1005815	60	58	40	12	0,39
59	S1005915	61	59	40	12	0,40
60	S1006015	62	60	40	12	0,41
61	S1006115	63	61	50	12	0,47
62	S1006215	64	62	50	12	0,49
63	S1006315	65	63	50	12	0,50
64	S1006415	66	64	50	12	0,51
65	S1006515	67	65	50	12	0,52
66	S1006615	68	66	50	12	0,53
67	S1006715	69	67	50	12	0,55
68	S1006815	70	68	50	12	0,56
69	S1006915	71	69	50	12	0,57
70	S1007015	72	70	50	12	0,58
72	SP1007215	74	72		12	0,46
75	SP1007515	77	75		12	0,51
76	SP1007615	78	76		12	0,52
80	SP1008015	82	80		12	0,58
85	SP1008515	87	85		12	0,65
90	SP1009015	92	90		12	0,73
95	SP1009515	97	95		12	0,82
100	SP10010015	102	100		12	0,91
110	SP10011015	112	110		12	1,10
114	SP10011415	116	114		12	1,19
120	SP10012015	122	120		12	1,32
127	SP10012715	129	127		12	1,47






info@transflex.nu

KUGGHJUL CYLINDRICAL GEARS

MODUL 1,5
Ingreppsvinkel 20°

A	B
30	17



Material: C45 stål

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S1501217	21,0	18,0	14	8	0,04
13	S1501317	22,5	19,5	15	8	0,05
14	S1501417	24,0	21,0	17	8	0,06
15	S1501517	25,5	22,5	18	8	0,07
16	S1501617	27,0	24,0	19	8	0,08
17	S1501717	28,5	25,5	20	8	0,09
18	S1501817	30,0	27,0	20	8	0,10
19	S1501917	31,5	28,5	20	8	0,10
20	S1502017	33,0	30,0	25	8	0,13
21	S1502117	34,5	31,5	25	10	0,13
22	S1502217	36,0	33,0	25	10	0,14
23	S1502317	37,5	34,5	25	10	0,16
24	S1502417	39,0	36,0	25	10	0,17
25	S1502517	40,5	37,5	25	10	0,18
26	S1502617	42,0	39,0	30	12	0,20
27	S1502717	43,5	40,5	30	12	0,22
28	S1502817	45,0	42,0	30	12	0,23
29	S1502917	46,5	43,5	30	12	0,24
30	S1503017	48,0	45,0	30	12	0,26
31	S1503117	49,5	46,5	35	12	0,30
32	S1503217	51,0	48,0	35	12	0,31
33	S1503317	52,5	49,5	35	12	0,33
34	S1503417	54,0	51,0	35	12	0,34
35	S1503517	55,5	52,5	35	12	0,36
36	S1503617	57,0	54,0	35	12	0,37
37	S1503717	58,5	55,5	40	12	0,42
38	S1503817	60,0	57,0	40	12	0,44
39	S1503917	61,5	58,5	40	12	0,46
40	S1504017	63,0	60,0	40	12	0,48
41	S1504117	64,5	61,5	40	12	0,50
42	S1504217	66,0	63,0	50	12	0,59
43	S1504317	67,5	64,5	50	12	0,61
44	S1504417	69,0	66,0	50	12	0,63
45	S1504517	70,5	67,5	50	12	0,65
46	S1504617	72,0	69,0	50	14	0,66
47	S1504717	73,5	70,5	50	14	0,70
48	S1504817	75,0	72,0	50	14	0,70
49	S1504917	76,5	73,5	50	14	0,73
50	S1505017	78,0	75,0	50	14	0,76
51	S1505117	79,50	76,5	60	14	0,86
52	S1505217	81,0	78,0	60	14	0,89
53	S1505317	82,5	79,5	60	14	0,91
54	S1505417	84,0	81,0	60	14	0,94

Z	Artikelnummer	de	dp	dm	D1	Kg.
55	S1505517	85,5	83	60	14	0,96
56	S1505617	87,0	84	60	16	0,98
57	S1505717	88,5	86	60	16	1,00
58	S1505817	90,0	87	60	16	1,03
59	S1505917	91,5	89	60	16	1,05
60	S1506017	93,0	90	60	16	1,09
61	S1506117	94,5	92	70	16	1,22
62	S1506217	96,0	93	70	16	1,25
63	S1506317	97,5	95	70	16	1,28
64	S1506417	99,0	96	70	16	1,31
65	S1506517	100,5	98	70	16	1,34
66	S1506617	102,0	99	70	16	1,37
67	S1506717	103,5	101	70	16	1,40
68	S1506817	105,0	102	70	16	1,43
69	S1506917	106,5	104	70	16	1,46
70	S1507017	108,0	105	70	16	1,50
72	SP1507217	111,0	108		16	1,19
75	SP1507517	115,5	113		16	1,30
76	SP1507617	117,0	114		16	1,33
80	SP1508017	123,0	120		16	1,48
85	SP1508517	130,5	128		16	1,67
90	SP1509017	138,0	135		16	1,88
95	SP1509517	145,5	143		16	2,09
100	SP15010017	153,0	150		16	2,32
110	SP15011017	168,0	165		16	2,82
114	SP15011417	174,0	171		16	3,03
120	SP15012017	183,0	180		16	3,36
127	SP15012717	193,5	191		16	3,77






info@transflex.nu

KUGGHJUL CYLINDRICAL GEARS

MODUL 2
Ingreppsvinkel 20°

A	B
35	20



Material: C45 stål

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S2001220	28	24	18	10	0,08
13	S2001320	30	26	20	10	0,10
14	S2001420	32	28	22	10	0,12
15	S2001520	34	30	24	10	0,14
16	S2001620	36	32	25	10	0,16
17	S2001720	38	34	25	10	0,18
18	S2001820	40	36	25	10	0,19
19	S2001920	42	38	25	10	0,21
20	S2002020	44	40	30	10	0,26
21	S2002120	46	42	30	12	0,27
22	S2002220	48	44	30	12	0,29
23	S2002320	50	46	30	12	0,31
24	S2002420	52	48	35	12	0,36
25	S2002520	54	50	35	12	0,39
26	S2002620	56	52	40	12	0,45
27	S2002720	58	54	40	12	0,47
28	S2002820	60	56	40	12	0,50
29	S2002920	62	58	40	14	0,52
30	S2003020	64	60	40	14	0,55
31	S2003120	66	62	45	14	0,61
32	S2003220	68	64	45	14	0,65
33	S2003320	70	66	45	14	0,68
34	S2003420	72	68	45	14	0,71
35	S2003520	74	70	45	14	0,74
36	S2003620	76	72	45	14	0,78
37	S2003720	78	74	50	14	0,86
38	S2003820	80	76	50	14	0,90
39	S2003920	82	78	50	14	0,93
40	S2004020	84	80	50	14	0,97
41	S2004120	86	82	55	16	1,05
42	S2004220	88	84	55	16	1,09
43	S2004320	90	86	55	16	1,13
44	S2004420	92	88	60	16	1,23
45	S2004520	94	90	60	16	1,27
46	S2004620	96	92	60	16	1,31
47	S2004720	98	94	70	16	1,48
48	S2004820	100	96	70	16	1,53
49	S2004920	102	98	70	16	1,57
50	S2005020	104	100	70	16	1,62
51	S2005120	106	102	70	16	1,67
52	S2005220	108	104	70	16	1,72
53	S2005320	110	106	70	16	1,78
54	S2005420	112	108	70	16	1,83

Z	Artikelnummer	de	dp	dm	D1	Kg.
55	S2005520	114	110	70	16	1,88
56	S2005620	116	112	70	16	1,94
57	S2005720	118	114	70	16	1,99
58	S2005820	120	116	70	16	2,05
59	S2005920	122	118	70	16	2,11
60	S2006020	124	120	70	16	2,16
61	S2006120	126	122	80	16	2,36
62	S2006220	128	124	80	16	2,42
63	S2006320	130	126	80	16	2,48
64	S2006420	132	128	80	16	2,55
65	S2006520	134	130	80	16	2,61
66	S2006620	136	132	80	16	2,67
67	S2006720	138	134	80	16	2,74
68	S2006820	140	136	80	16	2,81
69	S2006920	142	138	80	16	2,87
70	S2007020	144	140	80	16	2,94
72	SP2007220	148	144		16	2,50
75	SP2007520	154	150		20	2,71
76	SP2007620	156	152		20	2,79
80	SP2008020	164	160		20	3,09
85	SP2008520	174	170		20	3,50
90	SP2009020	184	180		20	3,93
95	SP2009520	194	190		20	4,39
100	SP2010020	204	200		20	4,87
110	SP2011020	224	220		20	5,90
114	SP2011420	232	228		20	6,34
120	SP2012020	244	240		20	7,03
127	SP2012720	258	254		20	7,89






info@transflex.nu

KUGGHJUL CYLINDRICAL GEARS

MODUL 2,5
Ingreppsvinkel 20°

A	B
45	25



Material: C45 stål

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S2501225	35	30,0	22	10	0,17
13	S2501325	38	32,5	25	10	0,21
14	S2501425	40	35,0	28	10	0,25
15	S2501525	43	37,5	30	10	0,30
16	S2501625	45	40,0	32	12	0,33
17	S2501725	48	42,5	35	12	0,38
18	S2501825	50	45,0	35	12	0,42
19	S2501925	53	47,5	35	12	0,45
20	S2502025	55	50,0	40	12	0,54
21	S2502125	58	52,5	40	14	0,56
22	S2502225	60	55,0	45	14	0,66
23	S2502325	63	57,5	45	14	0,70
24	S2502425	65	60,0	45	14	0,74
25	S2502525	68	62,5	50	14	0,85
26	S2502625	70	65,0	50	14	0,90
27	S2502725	73	67,5	50	14	0,95
28	S2502825	75	70,0	50	14	1,00
29	S2502925	78	72,5	50	14	1,06
30	S2503025	80	75,0	55	14	1,18
31	S2503125	83	77,5	55	16	1,22
32	S2503225	85	80,0	55	16	1,28
33	S2503325	88	82,5	55	16	1,34
34	S2503425	90	85,0	55	16	1,41
35	S2503525	93	87,5	60	16	1,54
36	S2503625	95	90,0	60	16	1,61
37	S2503725	98	92,5	60	16	1,68
38	S2503825	100	95,0	60	16	1,75
39	S2503925	103	97,5	60	16	1,83
40	S2504025	105	100,0	70	16	2,06
41	S2504125	108	102,5	70	16	2,14
42	S2504225	110	105,0	70	16	2,22
43	S2504325	113	107,5	70	16	2,30
44	S2504425	115	110,0	70	16	2,38
45	S2504525	118	112,5	70	16	2,47
46	S2504625	120	115,0	70	20	2,52
47	S2504725	123	117,5	80	20	2,80
48	S2504825	125	120,0	80	20	2,88
49	S2504925	128	122,5	80	20	2,98
50	S2505025	130	125,0	80	20	3,07
51	S2505125	133	127,5	80	20	3,17
52	S2505225	135	130,0	90	20	3,48
53	S2505325	138	132,5	90	20	3,58
54	S2505425	140	135,0	90	20	3,68

Z	Artikelnummer	de	dp	dm	D1	Kg.
55	S2505525	142,5	138	90	20	3,78
56	S2505625	145,0	140	100	20	4,13
57	S2505725	147,5	143	100	20	4,23
58	S2505825	150,0	145	100	20	4,34
59	S2505925	152,5	148	100	20	4,46
60	S2506025	155,0	150	100	20	4,57
65	SP2506525	167,5	163		20	3,99
70	SP2507025	180,0	175		20	4,64
72	SP2507225	185,0	180		20	4,91
75	SP2507525	192,5	188		20	5,33
76	SP2507625	195,0	190		20	5,48
80	SP2508025	205,0	200		25	6,04
85	SP2508525	217,5	213		25	6,84
90	SP2509025	230,0	225		25	7,68
95	SP2509525	242,5	238		25	8,57
100	SP25010025	255,0	250		25	9,51
110	SP25011025	280,0	275		25	11,53
114	SP25011425	290,0	285		25	12,39
120	SP25012025	305,0	300		25	13,74
127	SP25012725	322,5	318		25	15,40






info@transflex.nu

KUGGHJUL CYLINDRICAL GEARS

MODUL 3
Ingreppsvinkel 20°

A	B
50	30



Material: C45 stål

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S3001230	42	36	27	12	0,28
13	S3001330	45	39	30	12	0,34
14	S3001430	48	42	33	12	0,41
15	S3001530	51	45	35	12	0,47
16	S3001630	54	48	38	14	0,54
17	S3001730	57	51	42	14	0,63
18	S3001830	60	54	45	14	0,72
19	S3001930	63	57	45	14	0,78
20	S3002030	66	60	45	14	0,84
21	S3002130	69	63	45	16	0,89
22	S3002230	72	66	50	16	1,02
23	S3002330	75	69	50	16	1,10
24	S3002430	78	72	50	16	1,18
25	S3002530	81	75	60	16	1,39
26	S3002630	84	78	60	16	1,48
27	S3002730	87	81	60	16	1,56
28	S3002830	90	84	60	16	1,66
29	S3002930	93	87	60	16	1,75
30	S3003030	96	90	60	16	1,85
31	S3003130	99	93	60	16	1,95
32	S3003230	102	96	70	16	2,21
33	S3003330	105	99	70	16	2,32
34	S3003430	108	102	70	16	2,43
35	S3003530	111	105	70	16	2,55
36	S3003630	114	108	70	20	2,62
37	S3003730	117	111	70	20	2,74
38	S3003830	120	114	80	20	3,05
39	S3003930	123	117	80	20	3,18
40	S3004030	126	120	80	20	3,31
41	S3004130	129	123	80	20	3,44
42	S3004230	132	126	80	20	3,58
43	S3004330	135	129	80	20	3,72
44	S3004430	138	132	90	20	4,07
45	S3004530	141	135	90	20	4,22
46	S3004630	144	138	90	20	4,37
47	S3004730	147	141	100	20	4,76
48	S3004830	150	144	100	20	4,92
50	SP3005030	156	150		20	4,06
52	SP3005230	162	156		20	4,40
55	SP3005530	171	165		20	4,93
57	SP3005730	177	171		20	5,30
60	SP3006030	186	180		20	5,89
65	SP3006530	201	195		20	6,92

Z	Artikelnummer	de	dp	dm	D1	Kg.
70	SP3007030	216	210		25	8,00
72	SP3007230	222	216		25	8,47
75	SP3007530	231	225		25	9,21
76	SP3007630	234	228		25	9,46
80	SP300830	246	240		25	10,49
85	SP3008530	261	255		25	11,86
90	SP3009030	276	270		25	13,32
95	SP3009530	291	285		25	14,86
100	SP30010030	306	300		25	16,48
110	SP30011030	336	320		25	19,97
114	SP30011430	348	342		30	21,40
120	SP30012030	366	360		30	23,74
127	SP30012730	387	381		30	26,61






info@transflex.nu

KUGGHJUL CYLINDRICAL GEARS

MODUL 4
Ingreppsvinkel 20°

A	B
60	40



Material: C45 stål

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S4001240	56	48	35	14	0,63
13	S4001340	60	52	40	14	0,78
14	S4001440	64	56	45	14	0,93
15	S4001540	68	60	45	14	1,05
16	S4001640	72	64	50	16	1,20
17	S4001740	76	68	50	16	1,33
18	S4001840	80	72	50	16	1,47
19	S4001940	84	76	60	16	1,75
20	S4002040	88	80	60	16	1,90
21	S4002140	92	84	70	16	2,22
22	S4002240	96	88	70	16	2,39
23	S4002340	100	92	75	20	2,60
24	S4002440	104	96	75	20	2,79
25	S4002540	108	100	75	20	2,98
26	S4002640	112	104	75	20	3,18
27	S4002740	116	108	75	20	3,39
28	S4002840	120	112	75	20	3,60
29	S4002940	124	116	75	20	3,83
30	S4003040	128	120	75	20	4,06
31	S4003140	132	124	80	20	4,39
32	S4003240	136	128	80	20	4,64
33	S4003340	140	132	80	20	4,90
34	S4003440	144	136	80	20	5,16
35	S4003540	148	140	80	20	5,43
36	S4003640	152	144	80	25	5,63
38	SP4003840	160	152		25	5,20
40	SP4004040	168	160		25	6,11
45	SP4004540	188	180		25	7,78
48	SP4004840	200	192		25	8,87
50	SP4005040	208	200		25	9,65
52	SP4005240	216	208		25	10,45
55	SP4005540	228	220		25	11,71
57	SP4005740	236	228		25	12,59
60	SP4006040	248	240		25	13,97
65	SP4006540	268	260		25	16,43
70	SP4007040	288	280		25	19,09
75	SP4007540	308	300		25	21,94
76	SP4007640	312	304		30	22,47
80	SP4008040	328	320		30	24,93
85	SP4008540	348	340		30	28,18
90	SP4009040	368	360		30	31,62
95	SP4009540	388	380		30	35,26
100	SP40010040	408	400		30	39,11

Z	Artikelnummer	de	dp	dm	D1	Kg.
110		448	440		30	47,38
114		464	456		30	50,91





info@transflex.nu

KUGGHJUL
CYLINDRICAL GEARS

MODUL 5

Ingreppsvinkel 20°

A	B
75	50



Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S5001250	70	60	45	20	1,21
13	S5001350	75	65	50	20	1,47
14	S5001450	80	70	55	20	1,76
15	S5001550	85	75	60	20	2,07
16	S5001650	90	80	65	20	2,40
17	S5001750	95	85	70	20	2,75
18	S5001850	100	90	70	20	3,02
19	S5001950	105	95	70	20	3,30
20	S5002050	110	100	80	20	3,83
21	S5002150	115	105	80	20	4,15
22	S5002250	120	110	80	20	4,48
23	S5002350	125	115	90	20	5,08
24	S5002450	130	120	90	20	5,44
25	S5002550	135	125	90	20	5,82
26	S5002650	140	130	100	20	6,50
27	S5002750	145	135	100	20	6,91
28	S5002850	150	140	100	25	7,22
29	S5002950	155	145	110	25	7,98
30	S5003050	160	150	110	25	8,44
32	SP5003250	170	160		25	7,62
35	SP5003550	185	175		25	9,16
38	SP5003850	200	190		25	10,84
40	SP5004050	210	200		25	12,04
45	SP5004550	235	225		25	15,30
48	SP5004850	250	240		25	17,44
50	SP5005050	260	250		30	18,69
52	SP5005250	270	260		30	20,43
55	SP5005550	285	275		30	22,89
57	SP5005750	295	285		30	24,62
60	SP5006050	310	300		30	27,31
65	SP5006550	335	325		30	32,12
70	SP5007050	360	350		30	37,31
75	SP5007550	385	375		30	42,88
76	SP5007650	390	380		30	44,04
80	SP5008050	410	400		30	48,84
85	SP5008550	435	425		30	55,19
90	SP5009050	460	450		30	61,92
95	SP5009550	485	475		30	69,03
100	SP50010050	510	500		30	76,53
110	SP50011050	560	550		30	92,69
114	SP50010450	580	570		30	99,59




[illegible]

KUGGHJUL
CYLINDRICAL GEARS

MODUL 6

Ingrepvinkel 20°



A	B
80	60

[illegible][illegible]

KUGGHJUL CYLINDRICAL GEARS

MODUL 8
Ingreppsvinkel 20°

A	B
110	80



Material: C45 stål

Z	Artikelnummer	de	dp	dm	D1	Kg.
15	S8001580	136	120	90	25	7,96
18	S8001880	160	144	100	25	11,34
20	S8002080	176	160	120	30	14,38
24	S8002480	208	192	150	30	21,25
25	S8002580	216	200	150	30	22,85
30	S8003080	256	240	190	30	33,50

Z	de	dp	dm	D1	Kg.





info@transflex.nu

KUGGHJUL MED INDUKTIONSHÄRDADE TÄNDER CYLINDRICAL GEARS WITH HARDENED TEETH

MODUL 2
Ingreppsvinkel 20°

A	B
35	20



Material: C45 stål med Induktionshärdade tänder

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S2001220IH	28	24	18	10	0,08
15	S2001520IH	34	30	24	10	0,14
18	S2001820IH	40	36	25	10	0,19
20	S2002020IH	44	40	30	10	0,26
24	S2002420IH	52	48	35	12	0,36
25	S2002520IH	54	50	35	12	0,39
30	S2003020IH	64	60	40	14	0,55
36	S2003620IH	76	72	45	14	0,78
40	S2004020IH	84	80	50	14	0,97
50	S2005020IH	104	100	70	16	1,62
60	S2006020IH	124	120	70	16	2,16

Z	de	dp	dm	D1	Kg.





info@transflex.nu

KUGGHJUL MED INDUKTIONSHÄRDADE TÄNDER CYLINDRICAL GEARS WITH HARDENED TEETH

MODUL 2,5
Ingreppsvinkel 20°

A	B
45	25



Material: C45 stål med Induktionshärdade tänder

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S2501225IH	35	30	22	10	0,17
15	S2501525IH	42,5	37,5	30	10	0,30
18	S2501825IH	50	45	35	12	0,42
20	S2502025IH	55	50	40	12	0,54
24	S2502425IH	65	60	45	14	0,74
25	S2502525IH	67,5	62,5	50	14	0,85
30	S2503025IH	80	75	55	14	1,18
36	S2503625IH	95	90	60	16	1,61
40	S2504025IH	105	100	70	16	2,06
50	S2505025IH	130	125	80	20	3,07
60	S2506025IH	155	150	100	20	4,57

Z	de	dp	dm	D1	Kg.





info@transflex.nu

KUGGHJUL MED INDUKTIONSHÄRDADE TÄNDER CYLINDRICAL GEARS WITH HARDENED TEETH

MODUL 3
Ingreppsvinkel 20°

A	B
50	30



Material: C45 stål med Induktionshårdade tänder

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S3001230IH	42	36	27	12	0,28
15	S3001530IH	51	45	35	12	0,47
18	S3001830IH	60	54	45	14	0,72
20	S3002030IH	66	60	45	14	0,84
24	S3002430IH	78	72	50	16	1,18
25	S3002530IH	81	75	60	16	1,39
30	S3003030IH	96	90	60	16	1,85
36	S3003630IH	114	108	70	20	2,62
40	S3004030IH	126	120	80	20	3,31

Z	de	dp	dm	D1	Kg.





info@transflex.nu

KUGGHJUL MED INDUKTIONSHÄRDADE TÄNDER CYLINDRICAL GEARS WITH HARDENED TEETH

MODUL 4
Ingreppsvinkel 20°

A	B
60	40



Material: C45 stål med Induktionshärdade tänder

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S4001240IH	56	48	35	14	0,63
15	S4001540IH	68	60	45	14	1,05
18	S4001840IH	80	72	50	16	1,47
20	S4002040IH	88	80	60	16	1,90
24	S4002440IH	104	96	75	20	2,79
25	S4002540IH	108	100	75	20	2,98
30	S4003040IH	128	120	75	20	4,06
36	S4003640IH	152	144	80	25	5,63

Z	de	dp	dm	D1	Kg.





info@transflex.nu

KUGGHJUL MED INDUKTIONSHÄRDADE TÄNDER

CYLINDRICAL GEARS WITH HARDENED TEETH

MODUL 5
Ingreppsvinkel 20°

A	B
75	50



Material: C45 stål med Induktionshärdade tänder

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S5001250IH	70	60	45	20	1,21
15	S5001550IH	85	75	60	20	2,07
18	S5001850IH	100	90	70	20	3,02
20	S5002050IH	110	100	80	20	3,83
24	S5002450IH	130	120	90	20	5,44
25	S5002550IH	135	125	90	20	5,82
30	S5003050IH	160	150	110	25	8,44

Z	codice	d e	dp	dm	D1	Kg.





info@transflex.nu

KUGGHJUL MED INDUKTIONSHÄRDADE TÄNDER CYLINDRICAL GEARS WITH HARDENED TEETH

MODUL 6
Ingreppsvinkel 20°

A	B
80	60



Material: C45 stål med Induktionshärdade tänder

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S6001260IH	84	72	54	20	1,98
15	S6001560IH	102	90	70	20	3,29
16	S6001660IH	108	95	75	20	3,80
18	S6001860IH	120	108	80	20	4,76
20	S6002060IH	132	120	90	20	5,99
24	S6002460IH	156	144	110	25	8,70
25	S6002560IH	162	150	110	25	9,33

Z	codice	d e	dp	dm	D1	Kg.



info@transflex.nu