


KUGGHJUL NYLON CYLINDRICAL GEARS

MODUL 1
Ingreppsvinkel 20°

A	B
25	15



Material: NYLON PA6+FV

Z	de	dp	di	dm	D1	Kg.
10	12	10		12		0,002
12	14	12		9	4	0,003
13	15	13		10	4	0,003
14	16	14		10	4	0,004
15	17	15		10	4	0,004
16	18	16		13	5	0,005
17	19	17		14	5	0,006
18	20	18		14	5	0,006
19	21	19		14	5	0,007
20	22	20		16	5	0,008
21	23	21		16	5	0,009
22	24	22		18	5	0,009
23	25	23		18	6	0,010
24	26	24		20	6	0,012
25	27	25		20	6	0,011
26	28	26		22	6	0,013
27	29	27		22	6	0,015
28	30	28		22	6	0,015
29	31	29		25	6	0,018
30	32	30		25	6	0,018
31	33	31		25	6	0,019
32	34	32		25	6	0,019
33	35	33		25	6	0,020
34	36	34		30	8	0,024
35	37	35		30	8	0,024
36	38	36		30	8	0,028
37	39	37		30	8	0,026
38	40	38		30	8	0,028
39	41	39		30	8	0,028
40	42	40		30	8	0,029
41	43	41		30	8	0,031
42	44	42		35	10	0,035
43	45	43		35	10	0,035
44	46	44		35	10	0,036
45	47	45		35	10	0,037
47	49	47		35	10	0,041
48	50	48		35	10	0,042
49	51	49		35	10	0,044
50	52	50		35	10	0,045
52	54	52	44	35	14	0,042
55	57	55	44	35	14	0,045
56	58	56	44	35	14	0,053
58	60	58	44	35	14	0,049

Z	de	dp	di	dm	D1	Kg.
60	62	60	51	40	14	0,058
64	66	64	51	40	14	0,064
65	67	65	51	40	20	0,060
70	72	70	61	40	20	0,071
71	73	71	61	40	20	0,072
72	74	72	61	40	20	0,078
73	75	73	61	40	20	0,072
74	76	74	61	40	20	0,072
75	77	75	66	50	20	0,074
77	79	77	66	50	20	0,100
80	82	80	66	50	20	0,097
85	87	85	66	50	20	0,127
88	90	88	66	50	20	0,094
90	92	90	80	50	20	0,115
95	97	95	80	50	20	0,103
100	102	100	87	50	20	0,119
104	106	104	93	50	20	0,109
110	112	110	93	50	20	0,125
120	122	120	109	50	20	0,122




info@transflex.nu

KUGGHJUL NYLON CYLINDRICAL GEARS

MODUL 1,5
Ingreppsvinkel 20°

Ingreppsvinkel 20°

A	B
30	17



Material: NYLON PA6+FV


Z	de	dp	di	dm	D1	Kg.
12	21	18		14	5	0,007
13	22,5	19,5		16	5	0,009
14	24	21		16	5	0,010
15	25,5	22,5		18	5	0,013
16	27	24		18	5	0,013
17	28,5	25,5		20	6	0,014
18	30	27		20	6	0,016
19	31,5	28,5		20	8	0,019
20	33	30		25	8	0,023
21	34,5	31,5		25	8	0,025
22	36	33		28	8	0,025
23	37,5	34,5		28	8	0,027
24	39	36		28	8	0,028
25	40,5	37,5		30	8	0,034
26	42	39		30	8	0,035
27	43,5	40,5		30	8	0,038
28	45	42		30	8	0,039
29	46,5	43,5		30	8	0,043
30	48	45		35	12	0,045
31	49,5	46,5		35	12	0,050
32	51	48		35	12	0,049
33	52,5	49,5		35	12	0,055
34	54	51		35	12	0,054
35	55,5	52,5		35	12	0,061
36	57	54		35	12	0,048
37	58,5	55,5	42	35	16	0,053
38	60	57	42	35	16	0,053
39	61,5	58,5	42	35	16	0,061
40	63	60	48	40	16	0,064
42	66	63	53	45	16	0,072
43	67,5	64,5	53	45	16	0,075
44	69	66	53	45	16	0,084
45	70,5	67,5	53	45	16	0,085
46	72	69	53	45	16	0,086
47	73,5	70,5	53	45	16	0,090
48	75	72	53	45	16	0,099
50	78	75	53	45	16	0,111
51	79,5	76,5	63	50	20	0,110
52	81	78	63	50	20	0,113
53	82,5	79,5	63	50	20	0,118
54	84	81	63	50	20	0,122
55	85,5	82,5	63	50	20	0,126

[illegible]

KUGGHJUL NYLON CYLINDRICAL GEARS

MODUL 2
Ingreppsvinkel 20°

A	B
35	20



Material: NYLON PA6+FV

Z	d_e	d_p	d_i	d_m	D_1	Kg.
12	28	24		18	8	0,015
13	30	26		18	8	0,017
14	32	28		20	8	0,020
15	34	30		22	8	0,023
16	36	32		25	8	0,029
17	38	34		25	8	0,031
18	40	36		30	10	0,034
19	42	38		30	10	0,040
20	44	40		30	10	0,042
21	46	42		30	10	0,046
22	48	44		30	10	0,049
23	50	46		35	10	0,060
24	52	48		35	10	0,056
25	54	50		35	10	0,066
26	56	52		40	14	0,071
27	58	54		40	14	0,071
28	60	56		40	14	0,074
29	62	58		40	14	0,086
30	64	60		40	14	0,083
31	66	62	48	40	14	0,087
32	68	64	51	45	16	0,095
33	70	66	51	45	16	0,098
34	72	68	51	45	16	0,105
35	74	70	51	45	16	0,113
36	76	72	59	50	16	0,115
37	78	74	59	50	16	0,118
38	80	76	59	50	16	0,125
39	82	78	59	50	16	0,127
40	84	80	66	55	16	0,138
41	86	82	66	55	16	0,152
42	88	84	66	55	16	0,156
43	90	86	66	55	16	0,162
44	92	88	68	60	16	0,175
45	94	90	68	60	16	0,177
46	96	92	75	60	16	0,181
47	98	94	75	60	16	0,188
48	100	96	75	60	16	0,193
49	102	98	84	60	16	0,210
50	104	100	84	60	20	0,209
51	106	102	90	60	20	0,189
52	108	104	90	60	20	0,203
53	110	106	90	60	20	0,207
54	112	108	90	60	20	0,211

Z	d_e	d_p	d_i	d_m	D_1	Kg.
55	114	110	90	60	20	0,209
56	116	112	90	60	20	0,181
57	118	114	90	60	20	0,208
58	120	116	90	60	20	0,202
59	122	118	90	60	20	0,230
60	124	120	101	60	20	0,238
61	126	122	101	60	20	0,254
62	128	124	101	60	20	0,257
63	130	126	101	60	20	0,216
64	132	128	101	60	20	0,276
65	134	130	101	60	20	0,226
66	136	132	101	60	20	0,295
67	138	134	101	60	20	0,273
68	140	136	101	60	20	0,265
69	142	138	117	60	20	0,279
70	144	140	117	60	20	0,274
71	146	142	117	60	20	0,275
72	148	144	117	60	20	0,324
73	150	146	117	60	20	0,340
74	152	148	117	60	20	0,340
75	154	150	117	60	20	0,349
76	156	152	117	60	20	0,376
77	158	154	117	60	20	0,379
78	160	156	117	60	20	0,381
79	162	158	117	60	20	0,398
80	164	160	117	60	20	0,292
81	166	162	117	60	20	0,314
82	168	164	147	60	20	0,338
83	170	166	147	60	20	0,313
84	172	168	147	60	20	0,320
85	174	170	147	60	20	0,335
86	176	172	147	60	20	0,383
87	178	174	147	60	20	0,384
88	180	176	147	60	20	0,385
89	182	178	147	60	20	0,404
90	184	180	147	60	20	0,451




info@transflex.nu

KUGGHJUL NYLON CYLINDRICAL GEARS


MODUL 2,5
Ingreppsvinkel 20°

A	B
40	25



Material: NYLON PA6+FV


Z	de	dp	di	dm	D1	Kg.
12	35	30		22	8	0,026
14	40	35		22	8	0,038
15	42,5	37,5		30	10	0,045
16	45	40		30	10	0,046
17	47,5	42,5		30	10	0,053
18	50	45		35	10	0,061
19	52,5	47,5		35	10	0,040
20	55	50		35	10	0,073
21	57,5	52,5		35	10	0,081
22	60	55		40	16	0,090
23	62,5	57,5		40	16	0,090
24	65	60		40	16	0,096
25	67,5	62,5		40	16	0,109
26	70	65		40	16	0,075
27	72,5	67,5	50	40	16	0,121
28	75	70	50	40	16	0,131
29	77,5	72,5	56	45	16	0,141
30	80	75	56	45	16	0,147
31	82,5	77,5	56	45	16	0,158
32	85	80	61	50	16	0,171
33	87,5	82,5	61	50	16	0,177
34	90	85	61	50	16	0,192
35	92,5	87,5	61	50	16	0,172
36	95	90	73	50	18	0,181
37	97,5	92,5	73	50	18	0,196
38	100	95	73	50	18	0,204
39	102,5	97,5	73	50	18	0,217
40	105	100	73	50	18	0,233
42	110	102,5	85	60	18	0,260
43	112,5	105	85	60	18	0,266
45	117,5	112,5	85	60	18	0,298
50	130	125	105	60	20	0,299
55	142,5	137,5	105	60	20	0,377
60	155	150	117	60	20	0,431

[illegible]

KUGGHJUL NYLON
CYLINDRICAL GEARS

Ingreppsvinkel 20°

A	B
45	30



Material: NYLON PA6+FV

Z	de	dp	di	dm	D1	Kg.
12	42	36		25	12	0,043
13	45	39		28	12	0,053
14	48	42		30	12	0,061
15	51	45		30	12	0,070
16	54	48		35	12	0,082
17	57	51		40	12	0,098
18	60	54		40	12	0,109
19	63	57		40	12	0,117
20	66	60		45	12	0,135
21	69	63		45	16	0,142
22	72	66		45	16	0,156
23	75	69		45	16	0,169
24	78	72		45	16	0,180
25	81	75		45	16	0,175
26	84	78		45	16	0,205
27	87	81		45	16	2,236
28	90	84	65	50	16	0,207
29	93	87	65	50	16	0,220
30	96	90	65	50	16	0,236
31	99	93	65	50	16	0,250
32	102	96	73	50	16	0,243
34	108	102	73	50	16	0,294
35	111	105	80	60	20	0,315
36	114	108	80	60	20	0,332
37	117	111	80	60	20	0,354
38	120	114	85	60	20	0,373
39	123	117	85	60	20	0,394
40	126	120	85	60	20	0,322
41	129	123	101	60	20	0,341
42	132	126	101	60	20	0,365
43	135	129	101	60	20	0,396
44	138	132	101	60	20	0,407
45	141	135	101	60	20	0,434
46	144	138	101	60	20	0,468
47	147	141	101	60	20	0,487
48	150	144	101	60	20	0,514
49	153	147	101	60	20	0,540
50	156	150	127	60	20	0,400
55	171	165	127	60	20	0,534
60	186	180	155	60	20	0,539

[illegible]