




KUGGHJUL I ROSTFRITT STÅL

CYLINDRICAL GEARS IN STAINLESS STEEL

MODUL 1
Ingreppsvinkel 20°



A	B
25	15

Material: Rostfritt AISi303

Antal tänder	Artikelnummer	de	dp	dm	D1	Kg.
12	S1001215SS	14	12	9		0,01
13	S1001315SS	15	13	10		0,02
14	S1001415SS	16	14	11		0,02
15	S1001515SS	17	15	12		0,02
16	S1001615SS	18	16	13		0,03
18	S1001815SS	20	18	15	8	0,03
20	S1002015SS	22	20	16	8	0,04
24	S1002415SS	26	24	20	10	0,06
25	S1002515SS	27	25	20	10	0,07
30	S1003015SS	32	30	20	10	0,09
35	S1003515SS	37	35	25	10	0,14
40	S1004015SS	42	40	25	10	0,17
50	S1005015SS	52	50	30	12	0,26
60	S1006015SS	62	60	40	12	0,41
70	S1007015SS	72	70	50	12	0,58
80	SP1008015SS	82	80		12	0,58
90	SP1009015SS	92	90		12	0,73
100	SP10010015SS	102	100		12	0,91
110	SP10011015SS	112	110		12	1,10
120	SP10012015SS	122	120		12	1,32






info@transflex.nu

KUGGHJUL I ROSTFRITT STÅL

CYLINDRICAL GEARS IN STAINLESS STEEL

MODUL 1,5
Ingreppsvinkel 20°



A	B
30	17

Material: Rostfritt AISi303

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S1501217SS	21,0	18,0	14	8	0,04
13	S1501317SS	22,5	19,5	15	8	0,05
14	S1501417SS	24,0	21,0	17	8	0,06
15	S1501517SS	25,5	22,5	18	8	0,07
18	S1501817SS	30,0	27,0	20	8	0,10
20	S1502017SS	33,0	30,0	25	8	0,13
24	S1502417SS	39,0	36,0	25	10	0,17
25	S1502517SS	40,5	37,5	25	10	0,18
30	S1503017SS	48,0	45,0	30	12	0,26
40	S1504017SS	63,0	60,0	40	12	0,48
50	S1505017SS	78,0	75,0	50	14	0,76
70	S1507017SS	108,0	105,0	70	16	1,50
80	SP1508017SS	123,0	120,0		16	1,48
120	SP15012017SS	183,0	180,0		16	3,36






info@transflex.nu

KUGGHJUL I ROSTFRITT STÅL

CYLINDRICAL GEARS IN STAINLESS STEEL

MODUL 2
Ingreppsvinkel 20°



A	B
35	20

Material: Rostfritt AISi303

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S2001220SS	28	24	18	10	0,08
13	S2001320SS	30	26	20	10	0,10
14	S2001420SS	32	28	22	10	0,12
15	S2001520SS	34	30	24	10	0,14
20	S2002020SS	44	40	30	10	0,26
24	S2002420SS	52	48	35	12	0,36
25	S2002520SS	54	50	35	12	0,39
30	S2003020SS	64	60	40	14	0,55
40	S2004020SS	84	80	50	14	0,97
50	S2005020SS	104	100	70	16	1,62
60	S2006020SS	124	120	70	16	2,16
80	SP2008020SS	164	160		20	3,09





info@transflex.nu

KUGGHJUL I ROSTFRITT STÅL

CYLINDRICAL GEARS IN STAINLESS STEEL

MODUL 2,5
Ingreppsvinkel 20°



A	B
45	25

Material: Rostfritt AISi303

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S2501225SS	35,0	30,0	22	10	0,17
13	S2501325SS	37,5	32,5	25	10	0,21
14	S2501425SS	40,0	35,0	28	10	0,25
15	S2501525SS	42,5	37,5	30	10	0,30
20	S2502025SS	55,0	50,0	40	12	0,54
24	S2502425SS	65,0	60,0	45	14	0,74
25	S2502525SS	67,5	62,5	50	14	0,85
30	S2503025SS	80,0	75,0	55	14	1,18
40	S2504025SS	105,0	100,0	70	16	2,06
50	S2505025SS	130,0	125,0	80	20	3,07
60	S2506025SS	155,0	150,0	100	20	4,57






info@transflex.nu

KUGGHJUL I ROSTFRITT STÅL

CYLINDRICAL GEARS IN STAINLESS STEEL

MODUL 3
Ingreppsvinkel 20°



A	B
50	30

Material: Rostfritt AISi303

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S3001230SS	42	36	27	12	0,28
15	S3001530SS	51	45	35	12	0,47
20	S3002030SS	66	60	45	14	0,84
24	S3002430SS	78	72	50	16	1,18
25	S3002530SS	81	75	60	16	1,39
30	S3003030SS	96	90	60	16	1,85
40	S3004030SS	126	120	80	20	3,31
50	SP3005030SS	156	150		20	4,06
60	SP3006030SS	186	180		20	5,89





info@transflex.nu

KUGGHJUL I ROSTFRITT STÅL

CYLINDRICAL GEARS IN STAINLESS STEEL

MODUL 4
Ingreppsvinkel 20°



A	B
60	40

Material: Rostfritt AISi303

Z	Artikelnummer	de	dp	dm	D1	Kg.
12	S4001240SS	56	48	35	14	0,63
13	S4001340SS	60	52	40	14	0,78
14	S4001440SS	64	56	45	14	0,93
15	S4001540SS	68	60	45	14	1,05
20	S4002040SS	88	80	60	16	1,90
24	S4002440SS	104	96	75	20	2,79
25	S4002540SS	108	100	75	20	2,98
30	S4003040SS	128	120	75	20	4,06



info@transflex.nu