


KULLAGER - SERIE 6000 / 6200



Finns i följande utföranden


- Öppen** - Utan tätning
- Z** - Skyddsplåt en sida
- 2Z** - Skyddsplåt båda sidor
- RS** - Gummitätning en sida
- 2RS** - Gummitätning båda sidor
- Rostfritt** - Finns i rostfritt material
lägg till SS efter beteckningen.

Lager	d	D	B	Vikt i gram
6000	10	26	8	19
6001	12	28	8	22
6002	15	32	9	30
6003	17	35	10	39
6004	20	42	12	69
60/22	22	44	12	73
6005	25	47	12	80
60/28	28	52	12	97
6006	30	55	13	115
60/32	32	58	13	121
6007	35	62	14	155
6008	40	68	15	192
6009	45	75	16	245
6010	50	80	16	260
6011	55	90	18	381
6012	60	95	18	412
6013	65	100	18	439
6014	70	110	20	608
6015	75	115	20	649
6016	80	125	22	872
6017	85	130	22	918
6018	90	140	24	1190
6019	95	145	24	1230
6020	100	150	24	1290
6021	105	160	26	1580
6022	110	170	28	1930
6024	120	180	28	2090
6026	130	200	33	3150
6028	140	210	33	3350
6030	150	225	35	4240
6032	160	240	38	5150
6034	170	260	42	6890
6036	180	280	46	8880
6038	190	290	46	9390
6040	200	310	51	12000

Lager	d	D	B	Vikt i gram
6200	10	30	9	29
6201	12	32	10	37
6202	15	35	11	45
6203	17	40	12	65
6204	20	47	14	105
62/22	22	50	14	119
6205	25	52	15	129
62/28	28	58	16	172
6206	30	62	16	199
62/32	32	65	17	221
6207	35	72	17	288
6208	40	80	18	375
6209	45	85	19	420
6210	50	90	20	459
6211	55	100	21	619
6212	60	110	22	783
6213	65	120	23	1000
6214	70	125	24	1090
6215	75	130	25	1190
6213	80	140	26	1420
6217	85	150	28	1760
6218	90	160	30	2180
6219	95	170	32	2640
6220	100	180	34	3170
6221	105	190	36	3790
6222	110	200	38	4450
6224	120	215	40	5290
6226	130	230	40	5960
6228	140	250	42	7680
6230	150	270	45	10000
6232	160	290	48	12800
6234	170	310	52	15800
6236	180	320	52	15900
6238	190	340	55	22300
6240	200	360	58	26700
6244	220	400	65	37400
6248	240	440	72	50500



KULLAGER - SERIE 6300 / 6400



Finns i följande utföranden


- Öppen** - Utan tätning
- Z** - Skyddsplåt en sida
- 2Z** - Skyddsplåt båda sidor
- RS** - Gummitätning en sida
- 2RS** - Gummitätning båda sidor
- Rostfritt** - Finns i rostfritt material
lägg till SS efter beteckningen.

Lager	d	D	B	Vikt i gram
6300	10	35	11	53
6301	12	37	12	60
6302	15	42	13	82
6303	17	47	14	115
6304	20	52	15	144
63/22	22	56	16	179
6305	25	62	17	232
63/28	28	68	18	287
6306	30	72	19	345
63/32	32	75	20	389
6307	35	80	21	460
6308	40	90	23	640
6309	45	100	25	835
6310	50	110	27	1060
6311	55	120	29	1370
6312	60	130	31	1770
6313	65	140	33	2250
6314	70	150	35	2560
6315	75	160	37	3050
6316	80	170	39	3650
6317	85	180	41	4300
6318	90	190	43	5000
6319	95	200	45	5650
6320	100	215	47	7000
6321	105	225	49	8050
6322	110	240	50	9550
6324	120	260	55	12400
6326	130	280	58	15100
6328	140	300	62	18500
6330	150	320	65	21500
6332	160	340	68	26000
6334	170	360	72	36600
6336	180	380	75	43100
6338	190	400	78	49700
6340	200	420	80	55300

Lager	d	D	B	Vikt i gram
6403	17	62	17	270
6404	20	72	19	398
6405	25	80	21	520
6406	30	90	23	735
6407	35	100	25	952
6408	40	110	27	1230
6409	45	120	29	1530
6410	50	130	31	1880
6411	55	140	33	2350
6412	60	150	35	2770
6413	65	160	37	3400
6414	70	180	42	4830
6415	75	190	45	5720
6416	80	200	48	6760
6417	85	210	52	7950
6418	90	225	54	11400



KULLAGER - SERIE 6700 / 6800 / 6900



Finns i följande utföranden

Öppen - Utan tätning

2Z - Skyddsplåt båda sidor

2RS - Gummitätning båda sidor

Rostfritt - Finns i rostfritt material
lägg till SS efter beteckningen.


Lager	d	D	B	Vikt i gram
6700	10	15	3 / (4)	1,9
6800	10	19	5	5,6
63800	10	19	7	7,4
6900	10	22	6	10,0
6701	12	18	4	3,1
6801	12	21	5	6,5
63801	12	21	7	8,5
6901	12	21	6	12,0
6702	15	21	4	3,6
6802	15	24	5	7,6
63802	15	24	7	10,0
6902	15	28	7	19,0
6703	17	23	4	4,0
6803	17	26	5	8,2
63803	17	26	7	11,0
6903	17	30	7	20,0
6704	20	27	4	5,9
6804	20	32	7	18,0
63804	20	32	10	24,0
6904	20	37	9	40,0
6705	25	32	4	7,1
6805	25	37	7	24,0
63805	25	37	10	32,0
6905	25	42	9	47,0
6706	25	37	4	8,3
6806	30	42	7	27,0
63806	30	42	10	36,0
6906	30	47	9	53,0
6707	35	44	5	15,0
6807	35	47	7	32,0
6907	35	55	10	87,0
6708	40	50	6	23,0
6808	40	52	7	35,0
6908	40	62	12	131,0
6709	45	55	6	25,0
6809	45	58	7	42,0
6909	45	68	12	147,0
6710	50	62	6	64,0
6810	50	62	7	52,0
6910	50	72	12	133,0
6811	55	72	9	83,0
6911	55	80	13	185,0
6812	60	78	10	104,0
6912	60	85	13	192,0
6813	65	85	10	126,0
6913	65	90	13	211,0
6814	70	90	10	134,0
6914	70	100	16	342,0
6815	75	95	10	142,0
6915	75	105	16	363,0
6816	80	100	10	150,0
6916	80	110	16	382,0
6817	85	110	13	266,0
6917	85	120	18	535,0
6818	90	115	13	279,0
6918	90	125	18	565,0

Bärighet N		Max varvtal (x100rpm)	
dynamisk	statisk	fett	olja
855	435	15,0	17,0
1716	840	37,0	43,0
1716	840	37,0	43,0
2695	1273	34,0	41,0
926	530	13,0	15,0
1915	1041	33,0	39,0
1915	1041	33,0	39,0
2886	1466	31,0	36,0
937	582	11,0	13,0
2073	1253	28,0	33,0
2073	1253	28,0	33,0
4321	2259	26,0	30,0
1000	658	9,5	11,0
2233	1456	26,0	30,0
2233	1456	26,0	30,0
4588	2565	23,0	28,0
1402	729	8,5	10,0
4015	2462	21,0	25,0
4015	2462	21,0	25,0
6381	3682	19,0	23,0
1091	838	7,0	8,0
4303	2932	18,0	21,0
4303	2932	18,0	21,0
7001	4540	16,0	19,0
1143	947	5,5	7,0
4538	3402	15,0	18,0
4538	3402	15,0	18,0
7242	5003	14,0	17,0
1866	1635	4,9	6,0
4729	3821	13,0	6,0
10900	7818	12,0	14,0
2516	2233	4,3	5,0
4923	4178	12,0	14,0
13678	9968	11,0	13,0
2580	2397	3,9	4,6
6787	5381	11,0	13,0
14100	10830	9,7	11,0
2670	2640	3,5	4,1
6610	6090	9,6	11,0
14540	11710	9,0	11,0
8800	8100	8,7	10,0
16600	14100	8,1	9,6
11500	10600	8,0	9,4
20200	17300	7,5	8,9
11900	11500	7,3	8,6
17400	16100	7,1	8,4
12100	11900	6,8	8,1
23700	21200	6,4	7,6
12500	12900	12,5	12,9
24400	22600	6,1	7,2
12700	13300	12,7	13,3
25000	24000	5,7	6,8
18700	19000	5,6	6,6
31900	29600	5,3	6,3
19000	19700	5,3	6,3
32800	31600	5,1	6,0



info@transflex.nu

KULLAGER - SERIE 6900 / 16000



Finns i följande utföranden

Öppen - Utan tätning

2Z - Skyddsplåt båda sidor

2RS - Gummitätning båda sidor


Rostfritt - Finns i rostfritt material
lägg till SS efter beteckningen.

Lager	d	D	B	Vikt i gram
6900	10	22	6	9
6901	12	24	6	11
6902	15	28	7	16
6903	17	30	7	18
6904	20	37	9	36
6905	25	42	9	42
6906	30	47	9	49
6907	35	55	10	75
6908	40	62	12	110
6909	45	68	12	130
6910	50	72	12	134
6911	55	80	13	183
6912	60	85	13	196
6913	65	90	13	210
6914	70	100	16	340
6915	75	105	16	360
6916	80	110	16	380
6917	85	120	18	535
6918	95	130	18	601
6920	100	140	20	828
6921	105	145	20	856
6922	110	150	20	893
6924	120	165	22	1210
6926	130	180	24	1570
6928	140	190	28	1670
6930	150	210	28	3050
6932	160	220	28	3130
6934	170	230	28	3350
6936	180	250	33	4910
6938M	190	260	33	5200
6940M	200	280	38	7300
6944M	220	300	38	7900
6948M	240	320	38	8500
6952M	260	360	46	14400
6956M	280	380	46	15100
6960M	300	420	56	24100
6964M	320	440	56	25300
6968M	340	460	56	26600

Lager	d	D	B	Vikt i gram
16001	12	28	7	15
16002	15	32	8	25
16003	17	35	8	32
16004	20	42	8	50
16005	25	47	8	60
16006	30	55	9	88
16007	35	62	9	108
16008	40	68	9	125
16009	45	75	10	166
16010	50	80	10	174
16011	55	90	11	257
16012	60	95	11	275
16013	65	100	11	295
16014	70	110	13	430
16015	75	115	13	462
16016	80	125	14	590
16017	85	130	14	620
16018	90	140	16	845
16019	95	145	16	880
16020	100	150	16	920
16021	105	160	18	1225
16022	110	170	19	1503
16024	120	180	19	1570
16026	130	200	22	2700
16028M	140	210	22	2860
16030M	150	225	24	3600
16032M	160	240	25	4250
16034M	170	260	28	5750
16036M	180	280	31	7550
16038M	190	290	31	7850
16040M	200	310	34	10100
16044M	220	340	37	13200
16048M	240	360	37	13600
16052M	260	400	44	21100
16056M	280	420	44	22700



KULLAGER - MINIATYR



Finns i följande utföranden

- Öppen** - Utan tätning
- Z** - Skyddsplåt en sida
- 2Z** - Skyddsplåt båda sidor
- RS** - Gummitätning en sida
- 2RS** - Gummitätning båda sidor
- Rostfritt** - Finns i rostfritt material -
lägg till SS efter beteckningen.

Lager	d	D	B	B1	Vikt i gram
601X	1,5	6	2,5	3,0	0,30
602	2,0	7	2,8	3,5	0,40
602X	2,5	8	2,8	4,0	0,60
603	3,0	9	3,0		0,90
604	4,0	12	4,0		2,00
605	5,0	14	5,0		4,00
606	6,0	17	6,0		6,00
607	7,0	19	6,0		7,00
608	8,0	22	7,0		11,00
609	9,0	24	7,0		13,00
623	3,0	10	4,0		1,00
624	4,0	13	5,0		3,00
625	5,0	16	5,0		4,00
626	6,0	19	6,0		7,00
627	7,0	22	7,0		12,00
628	8,0	24	8,0		17,00
629	9,0	26	8,0		19,00
633	3,0	13	5,0		3,00
634	4,0	16	5,0		5,00
635	5,0	19	6,0		8,00
636	6,0	22	7,0		14,00
637	7,0	26	9,0		24,00

Lager	d	D	B	B1	Vikt i gram
638	8,0	28	9,0		28
639	9,0	30	10,0		36
681	1,0	3	1,0		0,03
681X	1,5	4	1,2	2,3	0,07
682	2,0	5	1,5	2,3	0,12
682X	2,5	6	1,8	2,6	0,23
683	3,0	7	2,0	3,0	0,32
684	4,0	9	2,5	4,0	0,60
685	5,0	11	3,0	5,0	1,00
686	6,0	13	3,5	5,0	2,00
687	7,0	14	3,5	5,0	2,00
688	8,0	16	4,0	5,0	3,00
689	9,0	17	4,0	5,0	4,00
692	2,0	6	2,3	3,0	0,30
692X	2,5	7	2,5	3,5	0,40
693	3,0	8	3,0	4,0	0,60
694	4,0	11	4,0		2,00
695	5,0	13	4,0		2,00
696	6,0	15	5,0		4,00
697	7,0	17	5,0		5,00
698	8,0	19	6,0		7,00
699	9,0	20	6,0		8,00

