



KUGGREMSHJUL POLY CHAIN POLY CHAIN PULLEYS

POLY CHAIN 8M


För 12mm rem



2F



10F



10

Artikelnummer	Typ	Material	Antal tänder	För bussning	Max axelhål	dp	de	Df	Dm	Di	F	L	R	d	Fläns nr.	Kg.
22 8M 12 PC FB	2F	Stål	22			56,02	54,42	60	43	20	30	10	12	308	0,43	
25 8M 12 PC F	10F	Stål	25	1108	28	63,66	62,06	66	49	20	22	2		310	0,25	
28 8M 12 PC F	10F	Stål	28	1108	28	71,30	69,70	75	56	20	22	2		312	0,37	
30 8M 12 PC F	10F	Stål	30	1210	32	76,39	74,79	83	60	20	25	5		314	0,41	
32 8M 12 PC F	10F	Stål	32	1610	42	81,49	79,89	87	66	20	25	5		315	0,43	
34 8M 12 PC F	10F	Stål	34	1610	42	86,58	84,98	91	68	20	25	5		316	0,45	
36 8M 12 PC F	10F	Stål	36	1610	42	91,67	90,07	98	74	20	25	5		319	0,59	
38 8M 12 PC F	10F	Stål	38	1610	42	96,77	95,17	103	80	20	25	5		320	0,70	
40 8M 12 PC F	10F	Stål	40	1610	42	101,86	100,26	106	85	20	25	5		321	0,82	
45 8M 12 PC F	10F	Stål	45	2012	50	114,59	112,99	119	92	20	32	12		325	1,10	
48 8M 12 PC F	10F	Stål	48	2012	50	122,23	120,63	127	100	20	32	12		327	1,42	
50 8M 12 PC F	10F	Stål	50	2012	50	127,32	125,72	135	104	20	32	12		328	1,60	
56 8M 12 PC F	10F	Stål	56	2012	50	142,60	141,00	148	104	20	32	12		333	2,10	
60 8M 12 PC F	10F	Stål	60	2012	50	152,79	151,19	158	111	20	32	12		335	2,40	
64 8M 12 PC F	10F	Stål	64	2012	50	162,97	161,37	168	111	20	32	12		338	2,70	
75 8M 12 PC F	10	Gjutjärn	75	2012	50	190,99	189,39		111	20	32	12			3,70	
80 8M 12 PC F	10	Gjutjärn	80	2012	50	203,72	202,12		111	20	32	12			4,40	
90 8M 12 PC F	10	Gjutjärn	90	2012	50	229,18	227,58		111	20	32	12			5,50	




info@transflex.nu

KUGGREMSHJUL POLY CHAIN POLY CHAIN PULLEYS

POLY CHAIN 8M

För 21mm rem



Artikelnummer	Typ	Material	Antal tänder	För bussning	Max axelhål	dp	de	Df	Dm	Di	F	L	R	d	Fläns nr.	Kg.
22 8M 21 PC FB	2F	Stål	22			56,02	54,42	60	43		30	40	10	12	308	0,56
25 8M 21 PC F	15F	Stål	25	1108	28	63,66	62,06	66			30				310	0,36
28 8M 21 PC F	15F	Stål	28	1210	32	71,30	69,70	75			30				312	0,41
30 8M 21 PC F	15F	Stål	30	1210	32	76,39	74,79	83			30				314	0,56
32 8M 21 PC F	15F	Stål	32	1610	42	81,49	79,89	87			30				315	0,52
34 8M 21 PC F	15F	Stål	34	1610	42	86,58	84,98	91			30				316	0,61
36 8M 21 PC F	15F	Stål	36	1610	42	91,67	90,07	98			30				319	0,70
38 8M 21 PC F	15F	Stål	38	1610	42	96,77	95,17	103			30				320	0,92
40 8M 21 PC F	15F	Stål	40	1610	42	101,86	100,26	106			30				321	1,06
45 8M 21 PC F	10F	Stål	45	2012	50	114,59	112,99	119	92		30	32	2		325	1,30
48 8M 21 PC F	10F	Stål	48	2012	50	122,23	120,63	127	100		30	32	2		327	1,60
50 8M 21 PC F	10F	Stål	50	2012	50	127,32	125,72	135	104		30	32	2		328	1,83
56 8M 21 PC F	10F	Stål	56	2012	50	142,60	141,00	148	111		30	32	2		333	2,40
60 8M 21 PC F	10F	Stål	60	2517	65	152,79	151,19	158	124		30	45	15		335	3,20
64 8M 21 PC F	10F	Stål	64	2517	65	162,97	161,37	168	124		30	45	15		338	3,80
75 8M 21 PC F	10	Gjutjärn	75	2517	65	190,99	189,39		124		30	45	15			6,20
80 8M 21 PC F	10	Gjutjärn	80	2517	65	203,72	202,12		124		30	45	15			6,00
90 8M 21 PC F	13	Gjutjärn	90	2517	65	229,18	227,58		124	198	30	45	7,5			5,40
112 8M 21 PC F	13	Gjutjärn	112	2517	65	285,21	283,61		124	253	30	45	7,5			7,40
140 8M 21 PC F	14	Gjutjärn	140	3020	75	356,51	354,91		150	324	30	51	10,5			9,00




info@transflex.nu


KUGGREMSHJUL POLY CHAIN POLY CHAIN PULLEYS

POLY CHAIN 8M


För 36mm rem




2F




10



13



14



15F

Artikelnummer	Typ	Material	Antal tänder	För bussning	Max axelhål	dp	de	Df	Dm	Di	F	L	R	d	Fläns nr.	Kg.
25 8M 36 PC FB	2F	Stål	25			63,66	62,06	66	49		45	55		12	310	1,40
28 8M 36 PC F	15F	Stål	28	1210	32	71,30	69,70	75			45				312	0,64
30 8M 36 PC F	15F	Stål	30	1610	42	76,39	74,79	83			45				314	0,59
32 8M 36 PC F	15F	Stål	32	1610	42	81,49	79,89	87			45				315	0,79
34 8M 36 PC F	15F	Stål	34	1610	42	86,58	84,98	91			45				316	0,63
36 8M 36 PC F	15F	Stål	36	1610	42	91,67	90,07	98			45				319	1,15
38 8M 36 PC F	15F	Stål	38	1610	42	96,77	95,17	103			45				320	1,39
40 8M 36 PC F	15F	Stål	40	2012	50	101,86	100,26	106			45				321	1,34
45 8M 36 PC F	15F	Stål	45	2012	50	114,59	112,99	119			45				325	1,87
48 8M 36 PC F	15F	Stål	48	2012	50	122,23	120,63	127			45				327	2,20
50 8M 36 PC F	15F	Stål	50	2012	50	127,32	125,72	135			45				328	2,70
56 8M 36 PC F	15F	Stål	56	2517	65	142,60	141,00	148			45				333	3,00
60 8M 36 PC F	15F	Stål	60	2517	65	152,79	151,19	158			45				335	3,80
64 8M 36 PC F	15F	Stål	64	2517	65	162,97	161,37	168			45				338	4,50
75 8M 36 PC F	10	Gjutjärn	75	3020	75	190,99	189,39		150		45	51	6			6,20
80 8M 36 PC F	10	Gjutjärn	80	3020	75	203,72	202,12		150		45	51	6			7,40
90 8M 36 PC F	13	Gjutjärn	90	3020	75	229,18	227,58		150	197	45	51	3			7,20
112 8M 36 PC F	13	Gjutjärn	112	3020	75	285,21	283,61		150	253	45	51	3			10,40
140 8M 36 PC F	14	Gjutjärn	140	3020	75	356,51	354,91		150	324	45	51	3			12,70
168 8M 36 PC F	14	Gjutjärn	168	3525	90	427,81	426,21		198	396	45	65	10			21,50
192 8M 36 PC F	14	Gjutjärn	192	3525	90	488,92	487,32		198	457	45	65	10			27,00




info@transflex.nu

KUGGREMSHJUL POLY CHAIN POLY CHAIN PULLEYS

POLY CHAIN 8M

För 62mm rem



Artikelnummer	Typ	Material	Antal tänder	För bussning	Max axelhål	dp	de	Df	Dm	Di	F	L	R	d	Fläns nr.	Kg.
30 8M 62 PC FB	2F	Stål	30			76,39	74,79	83	62	72		84		15	314	2,40
32 8M 62 PC FB	2F	Stål	32			81,49	79,89	87	65	72		84		15	315	2,80
34 8M 62 PC FB	2F	Stål	34			86,58	84,98	91	70	72		84		15	316	3,00
36 8M 62 PC FB	2F	Stål	36			91,67	90,07	98	75	72		84		15	319	3,40
38 8M 62 PC FB	2F	Stål	38			96,77	95,17	103	75	72		84		15	320	3,80
40 8M 62 PC F	15F	Stål	40	2012	50	101,86	100,26	106		72					321	2,06
45 8M 62 PC F	15F	Stål	45	2012	50	114,59	112,99	119		72					325	3,00
48 8M 62 PC F	15F	Stål	48	2517	65	122,23	120,63	127		72					327	2,90
50 8M 62 PC F	15F	Stål	50	2517	65	127,32	125,72	135		72					328	3,25
56 8M 62 PC F	19F	Stål	56	2517	65	142,60	141,00	148		111	72	45	13,5		333	3,90
60 8M 62 PC F	19F	Stål	60	2517	65	152,79	151,19	158		121	72	45	13,5		335	4,70
64 8M 62 PC F	19F	Stål	64	2517	65	162,97	161,37	168		131	72	45	13,5		338	5,60
75 8M 62 PC F	18	Gjutjärn	75	3020	75	190,99	189,39			159	72	51	10,5			7,50
80 8M 62 PC F	18	Gjutjärn	80	3020	75	203,72	202,12			172	72	51	10,5			9,20
90 8M 62 PC F	18	Gjutjärn	90	3020	75	229,18	227,58			197	72	51	10,5			7,70
112 8M 62 PC F	19	Gjutjärn	112	3020	75	285,21	283,61			253	72	51	10,5			12,10
140 8M 62 PC F	19	Gjutjärn	140	3525	90	356,51	354,91			324	72	65	3,5			22,70
168 8M 62 PC F	20	Gjutjärn	168	3525	90	427,81	426,21			396	72	65	3,5			26,80
192 8M 62 PC F	20	Gjutjärn	192	3525	90	488,92	487,32			457	72	65	3,5			34,20




info@transflex.nu


KUGGREMSHJUL POLY CHAIN POLY CHAIN PULLEYS

POLY CHAIN 14M


För 20mm rem




10F




13F



13



14



15F

Artikelnummer	Typ	Material	Antal tänder	För bussning	Max axelhål	dp	de	Df	Dm	Di	F	L	R	d	n° flangia	Kg.
28 14M 20 PC F	15F	Stål	28	2012	50	124,78	121,98	127			33				400	1,66
30 14M 20 PC F	15F	Stål	30	2012	50	133,69	130,89	138			33				401	2,20
32 14M 20 PC F	15F	Stål	32	2012	50	142,60	139,80	154			33				403	3,20
34 14M 20 PC F	10F	Stål	34	2517	65	151,52	148,72	160	117		33	45	12		404	3,00
36 14M 20 PC F	10F	Stål	36	2517	65	160,43	157,63	168	117		33	45	12		405	3,60
38 14M 20 PC F	10F	Stål	38	2517	65	169,34	166,54	183	117		33	45	12		406	4,00
40 14M 20 PC F	10F	Stål	40	2517	65	178,25	175,45	188	117		33	45	12		407	4,70
44 14M 20 PC F	10F	Stål	44	3020	75	196,08	193,28	211	144		33	51	18		411	5,60
48 14M 20 PC F	10F	Stål	48	3020	75	213,90	211,11	226	144		33	51	18		412	6,80
50 14M 20 PC F	10F	Gjutjärn	50	3020	75	222,82	220,02	240	144		33	51	18		414	7,70
56 14M 20 PC F	13F	Gjutjärn	56	3020	75	249,55	246,76	256	144	207	33	51	9		416	7,70
60 14M 20 PC F	13	Gjutjärn	60	3020	75	267,38	264,58		159	224	33	51	9			8,50
64 14M 20 PC F	13	Gjutjärn	64	3020	75	285,21	282,41		159	242	33	51	9			10,20
72 14M 20 PC F	13	Gjutjärn	72	3020	75	320,86	318,06		159	278	33	51	9			11,50
80 14M 20 PC F	13	Gjutjärn	80	3020	75	356,51	353,71		159	314	33	51	9			13,50
90 14M 20 PC F	14	Gjutjärn	90	3020	75	401,07	398,27		159	360	33	51	9			14,20
112 14M 20 PC F	14	Gjutjärn	112	3020	75	499,11	496,31		159	456	33	51	9			18,10
140 14M 20 PC F	14	Gjutjärn	140	3020	75	623,89	621,09		159	581	33	51	9			22,90




info@transflex.nu


KUGGREMSHJUL POLY CHAIN POLY CHAIN PULLEYS

POLY CHAIN 14M


För 37mm rem




14




15F




18F




21F



21



22



23F

Artikelnummer	Typ	Material	Antal tänder	För bussning	Max axelhål	dp	de	Df	Dm	Di	F	L	R	d	Fläns nr.	Kg.
28 14M 37 PC F	23F	Stål	28	2012	50	124,78	121,98	127		88	51	32	19		400	2,20
30 14M 37 PC F	18F	Stål	30	2517	65	133,69	130,89	138		98	51	45	3		401	2,50
32 14M 37 PC F	18F	Stål	32	2517	65	142,60	139,80	154		100	51	45	3		403	3,00
34 14M 37 PC F	18F	Stål	34	2517	65	151,52	148,72	160		109	51	45	3		404	3,80
36 14M 37 PC F	23F	Stål	36	2517	65	160,43	157,63	168		117	51	45	6		405	4,30
38 14M 37 PC F	23F	Stål	38	2517	65	169,34	166,54	183		126	51	45	6		406	5,10
40 14M 37 PC F	23F	Stål	40	2517	65	178,25	175,45	188		135	51	45	6		407	6,00
44 14M 37 PC F	15F	Stål	44	3020	75	196,08	193,28	211			51				411	7,00
48 14M 37 PC F	15F	Stål	48	3020	75	213,90	211,11	226			51				412	9,00
50 14M 37 PC F	15F	Gjutjärn	50	3020	75	222,82	220,02	240			51				414	10,00
56 14M 37 PC F	21F	Gjutjärn	56	3020	75	249,55	246,76	256	144	207	51				416	9,20
60 14M 37 PC F	21	Gjutjärn	60	3020	75	267,38	264,58		159	224	51					10,20
64 14M 37 PC F	21	Gjutjärn	64	3020	75	285,21	282,41		159	242	51					12,20
72 14M 37 PC F	21	Gjutjärn	72	3020	75	320,86	318,06		159	278	51					13,40
80 14M 37 PC F	21	Gjutjärn	80	3020	75	356,51	353,71		159	314	51					16,10
90 14M 37 PC F	22	Gjutjärn	90	3020	75	401,07	398,27		159	360	51					17,20
112 14M 37 PC F	22	Gjutjärn	112	3020	75	499,11	496,31		159	456	51					23,00
140 14M 37 PC F	14	Gjutjärn	140	3525	90	623,89	621,09		206	581	51	65	7			41,00
168 14M 37 PC F	14	Gjutjärn	168	3525	90	748,66	745,87		206	706	51	65	7			51,50
192 14M 37 PC F	14	Gjutjärn	192	4030	90	855,61	852,82		215	812	51	76	12,5			60,00




info@transflex.nu

KUGGREMSHJUL POLY CHAIN POLY CHAIN PULLEYS

POLY CHAIN 14M

För 68mm rem



Artikelnummer	Typ	Material	Antal tänder	För bussning	Max axelhål	dp	de	Df	Dm	Di	F	L	R	d	Fläns nr.	Kg.
34 14M 68 PC FB	2F	Stål	34			151,52	148,72	160	131		84	104		32	404	10,50
36 14M 68 PC FB	2F	Stål	36			160,43	157,63	168	131		84	104		32	405	11,70
38 14M 68 PC FB	2F	Stål	38			169,34	166,54	183	141		84	104		32	406	13,40
40 14M 68 PC FB	2F	Stål	40			178,25	175,45	188	155		84	104		32	407	15,40
44 14M 68 PC F	18F	Stål	44	3020	75	196,08	193,28	211		153	84	51	16,5		411	9,20
48 14M 68 PC F	23F	Stål	48	3020	75	213,90	211,11	226		171	84	51	33		412	11,30
50 14M 68 PC F	18F	Gjutjärn	50	3525	90	222,82	220,02	240		180	84	65	9,5		414	15,50
56 14M 68 PC F	18F	Gjutjärn	56	3525	90	249,55	246,76	256		207	84	65	9,5		416	16,80
60 14M 68 PC F	18	Gjutjärn	60	3525	90	267,38	264,58			224	84	65	9,5			20,40
64 14M 68 PC F	18	Gjutjärn	64	3525	90	285,21	282,41			242	84	65	9,5			23,60
72 14M 68 PC F	19	Gjutjärn	72	3525	90	320,86	318,06		178	278	84	65	9,5			20,30
80 14M 68 PC F	20	Gjutjärn	80	3525	90	356,51	353,71		178	314	84	65	9,5			21,30
90 14M 68 PC F	20	Gjutjärn	90	3525	90	401,07	398,27		178	360	84	65	9,5			24,40
112 14M 68 PC F	20	Gjutjärn	112	3525	90	499,11	496,31		178	456	84	65	9,5			32,70
140 14M 68 PC F	20	Gjutjärn	140	3525	90	623,89	621,09		206	581	84	65	9,5			55,00
168 14M 68 PC F	20	Gjutjärn	168	3525	90	748,66	745,87		206	706	84	65	9,5			71,00
192 14M 68 PC F	20	Gjutjärn	192	4030	90	855,61	852,82		215	812	84	76	4			80,50




info@transflex.nu


KUGGREMSHJUL POLY CHAIN POLY CHAIN PULLEYS

POLY CHAIN 14M


För 90mm rem




2F




18F



18



19



20

Artikelnummer	Typ	Material	Antal tänder	För bussning	Max axelhål	dp	de	Df	Dm	Di	F	L	R	d	Fläns nr.	Kg.
36 14M 90 PC FB	2F	Stål	36			160,43	157,63	168	131		106	136		32	405	14,5
38 14M 90 PC FB	2F	Stål	38			169,34	166,54	183	141		106	136		32	406	17,5
40 14M 90 PC FB	2F	Stål	40			178,25	175,45	188	155		106	136		32	407	19,1
44 14M 90 PC FB	2F	Stål	44			196,08	193,28	211	167		106	136		32	411	23,9
48 14M 90 PC F	18F	Stål	48	3525	90	213,90	211,11	226		171	106	66	20		412	12,7
50 14M 90 PC F	18F	Gjutjärn	50	3525	90	222,82	220,02	240		180	106	66	20		414	14,5
56 14M 90 PC F	18F	Gjutjärn	56	3525	90	249,55	246,76	256		207	106	66	20		416	19,0
60 14M 90 PC F	18	Gjutjärn	60	3525	90	267,38	264,58			224	106	66	20			22,5
64 14M 90 PC F	18	Gjutjärn	64	3525	90	285,21	282,41			242	106	66	20			24,0
72 14M 90 PC F	19	Gjutjärn	72	3525	90	320,86	318,06		178	278	106	66	20			22,6
80 14M 90 PC F	19	Gjutjärn	80	4030	90	356,51	353,71		215	314	106	76	15			27,0
90 14M 90 PC F	19	Gjutjärn	90	4030	90	401,07	398,27		215	360	106	76	15			34,1
112 14M 90 PC F	20	Gjutjärn	112	4535	120	499,11	496,31		215	456	106	90	8			46,0
140 14M 90 PC F	20	Gjutjärn	140	4535	120	623,89	621,09		215	581	106	90	8			61,0
168 14M 90 PC F	20	Gjutjärn	168	5040	125	748,66	745,87		267	706	106	102	2			90,0
192 14M 90 PC F	20	Gjutjärn	192	5040	125	855,61	852,82		267	812	106	102	2			108,5




info@transflex.nu


KUGGREMSHJUL POLY CHAIN POLY CHAIN PULLEYS

POLY CHAIN 14M


För 125mm rem




2F




18F



18



19



20

Artikelnummer	Typ	Material	Antal tänder	För bussning	Max axelhål	dp	de	Df	Dm	Di	F	L	R	d	Fläns nr.	Kg.
36 14M 125 PC FB	2F	Stål	38			169,34	166,54	183	141		141	161		32	406	20,3
40 14M 125 PC FB	2F	Stål	40			178,25	175,45	188	155		141	161		32	407	23,0
44 14M 125 PC FB	2F	Stål	44			196,08	193,28	211	167		141	161		32	411	28,8
48 14M 125 PC FB	2F	Stål	48			213,90	211,11	226	185		141	161		32	412	34,6
50 14M 125 PC F	18F	Gjutjärn	50	3525	90	222,82	220,02	240		180	141	65	38		414	16,8
56 14M 125 PC F	18F	Gjutjärn	56	3525	90	249,55	246,76	256		207	141	65	38		416	21,6
60 14M 125 PC F	18	Gjutjärn	60	4030	90	267,38	264,58			224	141	76	32,5			25,6
64 14M 125 PC F	18	Gjutjärn	64	4030	90	285,21	282,41			242	141	76	32,5			29,7
72 14M 125 PC F	19	Gjutjärn	72	4030	90	320,86	318,06		215	278	141	76	32,5			30,0
80 14M 125 PC F	19	Gjutjärn	80	4030	90	356,51	353,71		215	314	141	76	32,5			33,4
90 14M 125 PC F	19	Gjutjärn	90	4030	90	401,07	398,27		215	360	141	76	32,5			39,4
112 14M 125 PC F	20	Gjutjärn	112	4535	120	499,11	496,31		215	456	141	89	26			56,0
140 14M 125 PC F	20	Gjutjärn	140	4535	120	623,89	621,09		215	581	141	89	26			73,0
168 14M 125 PC F	20	Gjutjärn	168	5040	125	748,66	745,87		267	706	141	102	19,5			101,0
192 14M 125 PC F	20	Gjutjärn	192	5040	125	855,61	852,82		267	802	141	102	19,5			121,5



info@transflex.nu